

SAFETY DATA SHEET

Supersedes Date: 24 Apr 2017 Revision Date: 14 Feb 2022 Version: 1.0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Label Name Hardwood Preservation Satin Finish

Other means of identification

UPC Code(s)
Product code
Synonyms
Not applicable
CW033
None

Recommended use of the chemical and restrictions on use

Recommended Use Hardwood finish

Uses advised against Follow label instructions. Not recommended for any use except intended use.

Supplier's details

Supplier Address Manufacturer Address

Hydro-Force Aramsco

4282 South 590 West
Salt Lake City, UT 84123
4282 South 590 West
Salt Lake City, UT 84123
Salt Lake City, UT 84123

USA USA

Emergency telephone number

Company Phone Number 1-801-268-2673

Company Emergency PhoneUnited States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)

Number

United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)

International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week)

Emergency telephone Poison Control 1-800-222-1222 (24 hour)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eve damage/eve irritation	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Warning

Hazard Statements

Causes skin irritation

Causes serious eye irritation



Appearance Liquid emulsion Physical state liquid Odor None

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Hazards not otherwise classified (HNOC)

Other information

• Causes mild skin irritation

General Hazards Keep out of reach of children

See Section 11 for additional Toxicological Information

10.988% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Proprietary Polymer Blend	Proprietary	20 - 30	*
Triethylamine	121-44-8	1 - 5	*
Diethylene glycol monoethyl ether	111-90-0	1 - 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice If symptoms persist, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin contact Remove and wash contaminated clothing before re-use. Wash off immediately with plenty

of water. If skin irritation persists, call a physician. Immediate medical attention is not

required.

Toxic - Inhalation Immediate medical attention is not required. Move to fresh air in case of accidental

inhalation of vapors. Artificial respiration and/or oxygen may be necessary. If symptoms

persist, call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

Hardwood Preservation Satin Finish Revision Date 14 Feb 2022

to an unconscious person. Consult a physician. Do NOT induce vomiting.

Protection of First-aidersUse personal protective equipment.

Most important symptoms/effects, acute and delayed

Main Symptoms No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Hazardous Combustion

No information available.

Explosion Data

Products

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

from and upwind of spill/leak.

Advice for emergency responders For personal protection see section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information. Do not flush into surface water or

sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product

from entering drains.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other

noncombustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Hardwood Preservation Satin Finish Revision Date 14 Feb 2022

Precautions for safe handling

Advice on safe handlingUse only in area provided with appropriate exhaust ventilation. Wear personal protective

equipment. Do not breathe vapors or spray mist.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled

containers.

Packaging material Keep product in packaging product is initially sold in.

Incompatible productsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethylamine	STEL: 1 ppm	TWA: 25 ppm	TWA: 10 ppm
121-44-8	TWA: 0.5 ppm	TWA: 100 mg/m ³	STEL: 15 ppm
	• •	(vacated) STEL: 15 ppm	
		(vacated) STEL: 60 mg/m ³	

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles. Face-shield.

Skin and body protectionNo special protective equipment required.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

liquid

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state

Appearance Liquid emulsion Odor None

Color No information available Odor threshold No information available

Property <u>Values</u> <u>Remarks • Method</u>

pH 8.5

Hardwood Preservation Satin Finish Revision Date 14 Feb 2022

Melting point 32 °F

Flammability Limits in Air

Upper Flammability LimitNo information availableLower Flammability LimitNo information available

Vapor pressureNo information available17.1Vapor densityNo information availableQA778 1.0)

Specific Gravity 1.008 Water solubility negligible

Solubility in other solvents

Partition coefficient: n-octanol/waterNo information available
Autoignition temperature

No information available
No information available
No information available

Viscosity, kinematic 120 cps

Viscosity, dynamicNo information availableExplosive propertiesNo information availableOxidizing PropertiesNo information available

Other information

Softening point
Molecular weight
VOC Content(%)
Density VALUE
No information available

10. STABILITY AND REACTIVITY

200 cps

Reactivity

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Toxic - Inhalation Avoid breathing vapors or mists. May cause irritation of respiratory tract.

Eye contact Avoid contact with eyes. Irritating to eyes.

Skin contact Avoid contact with skin. Irritating to skin.

Ingestion Do not taste or swallow. Ingestion may cause gastrointestinal irritation, nausea, vomiting

and diarrhea.

Revision Date 14 Feb 2022

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Triethylamine 121-44-8	= 460 mg/kg (Rat)	= 415 mg/kg (Rabbit)	1250 ppm (Rat) 4 h
Diethylene glycol monoethyl ether 111-90-0	= 1920 mg/kg (Rat)		>5240 mg/m3 (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin.

Eye damage/irritation Irritating to eyes.

Sensitization No information as

No information available. **Germ Cell Mutagenicity** No information available. No information available. Carcinogenicity Reproductive toxicity No information available. **Developmental Toxicity** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Chronic toxicity** Avoid repeated exposure. **Aspiration hazard** No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 10.988% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >5000 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

13.026% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
None			

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated

IMDG Not regulated

<u>IATA</u> Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Triethylamine	X	X	X
121-44-8			

U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION						
<u>NFPA</u>	Health hazard	2	Flammability	1	Instability 0	Physical and chemical hazards
<u>HMIS</u>	Health hazard	2	Flammability	1	Physical Hazard 0	Personal protection X

Prepared By Aramsco

Environmental Health & Safety

Revision Date 14 Feb 2022

Revision Note

14 Feb 2022 - Review, no changes made

<u>Disclaimer</u>

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet