

9566CV

6" SJS™ High-Power Cut-Off/Angle Grinder

POWER : 13 AMP motor delivers 4,000 - 10,000 RPM

PERFORMANCE : SJS™ technology is a mechanical clutch system that helps prevent motor and gear damage

SPEED : 5-stage variable speed control dial

DURABILITY : Labyrinth construction, zig-zag varnish and thicker coil wires for longer tool life

INCLUDES : Cut-off wheel, wheel guard, side handle, inner flange, lock-nut and wrench



ABOUT MODEL

Makita's 6" SJS™ Cut-Off/Angle Grinder combines 13 AMP variable speed power with comfort and motor-protection features for longer-lasting stone grinding and polishing performance. The 9566CV is engineered with Makita's innovative SJS™ mechanical clutch system to help protect the gears for longer tool life.

13 AMP Power with SJS™ to Protect Gears

FEATURES

- Powerful 13.0 AMP motor delivers more output and variable (4,000 - 10,000) RPM
- SJS™ technology is a mechanical clutch system that helps prevent motor and gear damage by allowing the drive shaft to slip if the wheel is forced to stop
- Variable speed control dial enables user to match the speed to the application
- Constant speed control automatically applies additional power to the motor to maintain speed under load

- Soft start suppresses start-up reaction for smooth start-ups and longer gear life
- Electronic current limiter helps protect the motor from overload
- Labyrinth construction seals and protects the motor and bearings from dust and debris for longer tool life
- Spiral bevel gears for smoother rotations and a more efficient transfer of energy
- Zig-zag varnish protects the armature coil from dust and debris for longer motor life
- Two position adjustable side handle for operator convenience



INCLUDES

- (1) 6" x 7/8" x 1/16" Super Thin Cut-off Wheel, Metal (724117-A)
- (1) 6" Cut-Off Wheel Guard (122912-8)
- (1) Lock Nut (224574-9)
- (1) Lock Nut Wrench (782412-6)
- (1) Inner Flange (224390-9)
- (1) Side Handle (153489-2)

SPECS

Wheel Diameter :	6"
AMPS :	13
No Load Speed (variable speed) :	4,000 - 10,000 RPM
Spindle Type :	5/8" - 11 UNC
Lock-On Switch :	Yes
Lock-Off Switch :	No
Switch Type :	Body grip/slide
Overall Length :	11-3/4"
Net Weight :	5.3 lbs.
Variable speed control dial :	Yes
Power Type :	Corded
Bind-Up Control :	Yes
Shipping Weight :	7.7 lbs.
UPC Code :	088381-044585

RESOURCES & MEDIA

- [Makita 9566CV Instruction Manual](#)
- [9566CV Parts Breakdown](#)

PRODUCTS RELATED TO 9566CV

Page 1 of 3



XCV04Z

18V X2 LXT® (36V) 2.1 Gallon HEPA Filter Dry Dust Extractor/Vacuum



195236-5

4-1/2"-5" Dust Extraction Surface Grinding Shroud



196846-1

5" Dust Extractor

