

Revision Date 21-May-2015

Version 2

# 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Product name Crystal Odor Counteractant Commercial Cherry

Product code LG-F1022

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Deodorizer

Restrictions on use Professional Use Only

1.3 Details of the supplier of the safety data sheet

Supplier Legend Brands

ProRestore Products 15180 Josh Wilson Road Burlington, WA 98233

800-932-3030

1.4 Emergency telephone number

Emergency telephone number INFOTRAC 1-800-535-5053 (North America)

1-352-323-3500 (International)

## 2. Hazards identification

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910.1200

Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A

#### 2.2 Label elements

## Signal Word

Danger

## **Hazard Statements**

Causes serious eye irritation May cause cancer



## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eve irritation persists: Get medical advice/attention

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### 2.3 Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

## 2.4 Other information

Not Applicable

**Unknown Acute Toxicity** 

1.05187% of the mixture consists of ingredient(s) of unknown toxicity

# 3. Composition/Information on Ingredients

#### **Substance**

Chemical Name	CAS-No	Weight %
BENTONITE	1302-78-9	50 - 60
AMORPHOUS SILICA	7631-86-9	10 - 20
ALUMINUM OXIDE	1344-28-1	5 - 10
Distillates, petroleum, hydrotreated light	64742-47-8	5 - 10
IRON OXIDE	1309-37-1	1 - 5
BENZALDEHYDE	100-52-7	1 - 5
CRYSTALLINE SILICA (QUARTZ)/ SILICA SAND	14808-60-7	1 - 5
CALCIUM OXIDE/LIME	1305-78-8	1 - 5
AMYL ACETATE	628-63-7	1 - 5
monochlorotoluene	25168-05-2	1 - 5
MAGNESIUM OXIDE	1309-48-4	< 1
Titanium dioxide	13463-67-7	< 1

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. First aid measures

## 4.1 Description of first-aid measures

General advice No information available.

Eye contact In case of contact with substance, immediately flush skin or eyes with running water for at

least 20 minutes. Call a poison control center or doctor for treatment advice. Tilt the head to

prevent chemical from transferring to the uncontaminated eye.

Skin contact Wash off immediately with soap and plenty of water. Remove all contaminated clothes and

shoes.

Inhalation Move to fresh air. Call a physician or poison control center immediately. If breathing is

difficult, give oxygen. If not breathing, give artificial respiration.

21-May-2015 - LG-F1022 - 2 - AGHS - English -

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Dilute

with water or milk. Never give fluids if the victim is unconscious or having convulsions.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

### 4.3 Recommendations for immediate medical care and/or special treatment

Notes to physician Treat symptomatically.

# 5. Fire-Fighting Measures

## 5.1 Extinguishing media

# Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire Use CO2, dry chemical, or foam. Water may be unsuitable for extinguishing fires Water may be used to cool and prevent the rupture of containers that are exposed to the heat from a fire.

Unsuitable Extinguishing Media None.

## 5.2 Specific hazards arising from the substance or mixture

#### **Special Hazard**

None known based on information supplied

Hazardous Combustion Products No information available.

#### **Explosion Data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### 5.3 Advice for firefighters

Use personal protective equipment. Wear self contained breathing apparatus for fire fighting if necessary. Evacuate personnel to safe areas. Move non-burning material, as feasible, to a safe location as soon as possible. Thoroughly decontaminate all protective equipment after use. Use water spray to cool fire-exposed containers. Use water spray to disperse vapors if a spill or leak has not ignited. .

## 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

None required for material as supplied. Dust Deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Nonsparking tools should be used.

#### Other information

Follow personal protective equipment recommendations found in Section 8. Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits. Shut off ignition sources; including electrical equipment and flames. Do not allow the spilled product to enter public drainage systems or open waterways. Do not allow smoking in the area.

#### 6.2 Environmental precautions

See Section 12 for additional Ecological information.

## 6.3 Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

# 7. Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling In case of insufficient ventilation, wear suitable respiratory equipment. Routine

housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

appropriate protective measures. Wash thoroughly after handling and before eating or

drinking.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry place. Avoid dust formation. Keep container tightly closed. Store away from

other materials. Store in a cool, dry area away from potential sources of heat, open flames,

sunlight or other chemicals.

Materials to Avoid No materials to be especially mentioned.

# 8. Exposure controls/personal protection

#### 8.1 Occupational Exposure Limits (OEL)

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
BENTONITE 1302-78-9	TWA: 1 mg/m <sup>3</sup> respirable fraction	-	TWA: 1.0 mg/m <sup>3</sup>			TWA: 1 mg/m <sup>3</sup>
AMORPHOUS SILICA 7631-86-9	-	TWA: 20 mppcf : (80)/(% SiO2) mg/m³ TWA				
ALUMINUM OXIDE 1344-28-1	TWA: 1 mg/m³ respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 1.0 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
Distillates, petroleum, hydrotreated light 64742-47-8	-	-	TWA: 200 mg/m <sup>3</sup> Skin			
IRON OXIDE 1309-37-1	TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m <sup>3</sup> fume TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m³ TWA: 3 mg/m³ TWA: 5 mg/m³ STEL: 10 mg/m³	TWA: 5 mg/m³	TWA: 5 mg/m³ TWA: 10 mg/m³	TWA: 5 mg/m³
BENZALDEHYDE 100-52-7	-	-				STEL: 4 ppm STEL: 17 mg/m <sup>3</sup>
CRYSTALLINE SILICA (QUARTZ)/ SILICA SAND 14808-60-7	TWA: 0.025 mg/m³ respirable fraction	: (30)/(%SiO2 + 2) mg/m³ TWA total dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m³	TWA: 0.10 mg/m <sup>3</sup>
CALCIUM OXIDE/LIME 1305-78-8	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
AMYL ACETATE 628-63-7	STEL: 100 ppm TWA: 50 ppm	TWA: 100 ppm TWA: 525 mg/m <sup>3</sup>	TWA: 50 ppm STEL: 100 ppm	TWA: 50 ppm TWA: 266 mg/m³ STEL: 100 ppm STEL: 532 mg/m³	TWA: 50 ppm TWA: 266 mg/m <sup>3</sup> STEL: 100 ppm STEL: 532 mg/m <sup>3</sup>	TWA: 50 ppm STEL: 100 ppm

21-May-2015 - LG-F1022 - 2 - AGHS - English -

Page 4/11

MAGNESIUM OXIDE 1309-48-4	TWA: 10 mg/m <sup>3</sup> inhalable fraction	TWA: 15 mg/m <sup>3</sup> fume, total particulate	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>

#### 8.2 Appropriate engineering controls

**Engineering Measures** 

In case of inadequate ventilation wear respiratory protection. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

#### 8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear chemical-resistant glasses and/or goggles and a face shield when eye and face

contact is possible due to handling and processing of material.

**Skin and body protection** Wear chemical resistant footwear and clothing such as gloves, an apron or a whole body

suit as appropriate.

**Respiratory protection** If irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. NIOSH/MSHA approved respiratory protection should be worn if exposure is

anticipated.

**Hygiene measures** See section 7 for more information

# 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Physical state Solid
Appearance crystalline
Color Black and Beige

**Odor** Cherry

Odor Threshold No information available

Property Values Remarks • Methods

pH No information available
Melting/freezing point No information available
Boiling point/boiling range No information available
Flash Point No information available
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information available

Specific Gravity 2.5

Water solubilityNo information availableSolubility in other solventsNo information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive propertiesNo information availableOxidizing PropertiesNo information available

## 9.2 Other information

Volatile organic compounds (VOC) 8%

content

# 10. Stability and Reactivity

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under normal conditions

## 10.3 Possibility of hazardous reactions

None under normal processing.

#### 10.4 Conditions to Avoid

Keep away from heat, sparks and flames.

## 10.5 Incompatible Materials

None known based on information supplied.

#### **10.6 Hazardous Decomposition Products**

Not determined.

# 11. Toxicological information

# 11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity 1.05187% of the mixture consists of ingredient(s) of unknown toxicity

 Oral LD50
 8,998.00 mg/kg

 Dermal LD50
 12,685.00 mg/kg

 Mist
 118.70 mg/l

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
BENTONITE 1302-78-9	5000 mg/kg ( Rat )	-	-
AMORPHOUS SILICA 7631-86-9	5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 2.2 mg/L (Rat)1 h
ALUMINUM OXIDE 1344-28-1	5000 mg/kg ( Rat )	-	-
Distillates, petroleum, hydrotreated light 64742-47-8	5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	> 5.2 mg/L (Rat)4 h
IRON OXIDE 1309-37-1	10000 mg/kg (Rat)	-	-
BENZALDEHYDE 100-52-7	1292 mg/kg (Rat)	> 1250 mg/kg ( Rabbit )	-
CRYSTALLINE SILICA (QUARTZ)/ SILICA SAND 14808-60-7	500 mg/kg(Rat)	-	-
CALCIUM OXIDE/LIME 1305-78-8	500 mg/kg (Rat)	-	-
Titanium dioxide 13463-67-7	10000 mg/kg (Rat)	-	-

## 11.2 Information on toxicological effects

## Skin corrosion/irritation

**Product Information** 

· No information available

**Component Information** 

• No information available

#### Eye damage/irritation

Product Information

- No information available
- Component Information
- No information available

## Respiratory or skin sensitization

Product Information

- · No information available
- Component Information
- No information available

#### **Germ Cell Mutagenicity**

Product Information

- · No information available
- Component Information
- No information available

## Carcinogenicity

• The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
CRYSTALLINE SILICA (QUARTZ)/ SILICA SAND 14808-60-7	A2	Group 1	Known	
Titanium dioxide 13463-67-7	-	Group 2B	-	

#### Reproductive toxicity

Product Information

No information available

Component Information

No information available

## STOT - single exposure

No information available

#### STOT - repeated exposure

No information available

#### Other adverse effects

**Target Organs** 

- · Central nervous system
- Eyes
- Lungs
- · Respiratory system
- Skin
- · Not determined.

**Product Information** 

- · No information available
- Component Information
- No information available

# **Aspiration hazard**

Product Information

- No information available
- Component Information
- No information available

# 12. Ecological information

## 12.1 Toxicity

**Ecotoxicity** 

No information available

7.80964484 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

**Ecotoxicity effects** 

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
BENTONITE 1302-78-9	-	LC50: 96 h Oncorhynchus mykiss 19000 mg/L static	-
AMORPHOUS SILICA 7631-86-9	EC50: 72 h Pseudokirchneriella subcapitata 440 mg/L	LC50: 96 h Brachydanio rerio 5000 mg/L static	EC50: 48 h Ceriodaphnia dubia 7600 mg/L
Distillates, petroleum, hydrotreated light 64742-47-8	-	LC50: 96 h Pimephales promelas 45 mg/L flow-through LC50: 96 h Lepomis macrochirus 2.2 mg/L static LC50: 96 h Oncorhynchus	-

21-May-2015 - LG-F1022 - 2 - AGHS - English -

		mykiss 2.4 mg/L static	
BENZALDEHYDE	-	LC50: 96 h Oncorhynchus mykiss	-
100-52-7		10.6 - 11.8 mg/L flow-through LC50:	
		96 h Oncorhynchus mykiss 12.69	
		mg/L static LC50: 96 h Lepomis	
		macrochirus 0.8 - 1.44 mg/L	
		flow-through LC50: 96 h	
		Pimephales promelas 6.8 - 8.53	
		mg/L flow-through LC50: 96 h	
		Lepomis macrochirus 7.5 mg/L	
		static	
CALCIUM OXIDE/LIME	-	LC50: 96 h Cyprinus carpio 1070	-
1305-78-8		mg/L static	
AMYL ACETATE	-	LC50: 96 h Lepomis macrochirus	-
628-63-7		650 mg/L static	

## 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

Discharge into the environment must be avoided

Chemical Name	log Pow
BENZALDEHYDE	1.48
100-52-7	

## 12.4 Mobility in soil

No information available.

## 12.5 Other adverse effects

No information available

# 13. Disposal Considerations

## 13.1 Waste Disposal Guidance

Waste from this material may be a listed and/or characteristic hazardous waste. Dispose of material, contaminated absorbent, container and unused contents in accordance with local, state, and federal regulations.

# 14. Transport Information

DOTNot regulatedMEXNot regulatedIMDGNot regulatedIATANot regulated

# 15. Regulatory information

# 15.1 International Inventories

TSCA Complies
DSL Complies
EINECS/ELINCS ENCS -

ENCS -

**KECL** Complies

DICCC

PICCS AICS NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

### 15.2 U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
ALUMINUM OXIDE	1.0
1344-28-1	

#### 15.3 Pesticide Information

Not applicable

## 15.4 U.S. State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
CRYSTALLINE SILICA (QUARTZ)/ SILICA SAND - 14808-60-7	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen
Benzene - 71-43-2	Carcinogen
	Developmental
	Male Reproductive

## 16. Other information

NFPA Health Hazard 1 Flammability 0 Instability 0 Physical and chemical hazards \*

HMIS Health Hazard 1 Flammability 0 Physical Hazard 0 Personal protection X

#### Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S\*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date Revision Note 21-May-2015

No information available

**Disclaimer** 

IMPORTANT: WHILE THE DESCRIPTIONS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU PERFORM AN ASSESSMENT TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED, DATA OR INFORMATION SET FORTH. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION,OR DATA PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DATA AND INFORMATION FURNISHED HEREUNDER ARE GIVEN GRATIS. NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DATA AND INFORMATION GIVEN ARE ASSUMED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

**End of Safety Data Sheet**