

# SAFETY DATA SHEET

Supersedes Date: 17 Feb 2022

Revision Date: 17 Feb 2022

Version: 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Alkaline Prespray
Not applicable
CCE01
None

## Recommended use of the chemical and restrictions on use

Recommended Use	Free rinsing every day traffic lane preconditioning
Uses advised against	Follow label instructions. Not recommended for any use except intended use.

Manufacturer Address

4282 South 590 West Salt Lake City, UT 84123

Aramsco

USA

#### Supplier's details

Supplier Address
Empire Cleaning Solutions
4282 South 590 West
Salt Lake City, UT 84123
USA

#### **Emergency telephone number**

Company Phone Number
<b>Company Emergency Phone</b>
Number
Emergency telephone

1-800-767-4620 United States: 1-800-535-5053 (INFOTRAC - 24 hours, 7 days a week) International: 1-352-323-3500 (INFOTRAC - 24 hours, 7 days a week) Poison Control 1-800-222-1222 (24 hour)

## 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

#### GHS Label elements, including precautionary statements

#### **Emergency Overview**

## Warning

**Hazard Statements** Causes skin irritation Causes serious eye irritation



## Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

## **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

## Hazards not otherwise classified (HNOC)

Other information

General Hazards

Keep out of reach of children Please see Section 11. Toxicological Information for further information

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade Secret
Diethylene glycol monobutyl ether	112-34-5	1 - 5	*
Alcohols, C9-11, ethoxylated	68439-46-3	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

General advice	If symptoms persist, call a physician.
Eye contact	Immediately flush with plenty of water. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Skin contact	Remove and wash contaminated clothing before re-use. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. Immediate medical attention is not required.
Toxic - Inhalation	Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Consult a physician. Do NOT induce vomiting.
Protection of First-aiders	Use personal protective equipment.

## Most important symptoms/effects, acute and delayed Main Symptoms No information available. Indication of immediate medical attention and special treatment needed, if necessary Notes to physician Treat symptomatically. 5. FIRE-FIGHTING MEASURES **Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient. Specific hazards arising from the chemical No information available. **Hazardous Combustion** No information available. Products Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None. **Protective Equipment and Precautions for Firefighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures **Personal precautions** Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Advice for emergency responders For personal protection see section 8. Environmental precautions See Section 12 for additional Ecological Information. Do not flush into surface water or **Environmental precautions** sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Methods and materials for containment and cleaning up **Methods for Containment** Prevent further leakage or spillage if safe to do so. Methods for cleaning up Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other noncombustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapors or spray mist.
ng any incompatibilities
Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.
Keep product in packaging product is initially sold in.
None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Diethylene glycol monobutyl ether	TWA: 10 ppm inhalable fraction		
112-34-5	and vapor		
112-34-5			

NIOSH IDLH: Immediately Dangerous to Life or Health

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Measures	Showers
	Eyewash stations
	Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection Ti	ghtly fitting safety goggles. Face-shield.
------------------------	--

- Skin and body protection No special protective equipment required.
- **Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Physical state	
Appearance	
Color	

Property pH Melting point Boiling point/boiling range Flash Point Evaporation rate liquid Clear Liquid Light green

Values 9.5 No information available No information available > 94 °C / > 201 °F No information available Odor Odor threshold Lemon Lime No information available

Remarks • Method

Flammability (solid, gas) Flammability Limits in Air	No information available
Upper Flammability Limit	No information available
Lower Flammability Limit	No information available
Vapor pressure	17.4
Vapor density	0.694
Specific Gravity	1.019
Water solubility	Soluble in water
Solubility in other solvents	No information available
Partition coefficient: n-octanol/wate	rNo information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	200 cps
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing Properties	No information available
Other information	

Softening pointNo information availableMolecular weightNo information availableVOC Content(%)No information availableDensity VALUENo information availableBulk Density VALUENo information available

## **10. STABILITY AND REACTIVITY**

#### Reactivity

#### <u>Chemical stability</u> Stable under recommended storage conditions.

\_ .... .. . .

## Possibility of hazardous reactions

None under normal processing.

#### Hazardous Polymerization

None under normal processing.

#### Conditions to Avoid

Extremes of temperature and direct sunlight.

#### **Incompatible Materials**

None known based on information supplied.

#### Hazardous Decomposition Products

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Product Information**

Toxic - Inhalation	Avoid breathing vapors or mists.
Eye contact	Irritating to eyes. Avoid contact with eyes. May cause redness, itching, and pain.
Skin contact	Irritating to skin. Avoid contact with skin. Prolonged or repeated contact may dry skin and cause irritation. Prolonged skin contact may cause burns.
Ingestion	Do not taste or swallow.

Chemical Name	Oral LD	50	De	rmal LD50		Inhalation LC50
Diethylene glycol monobutyl ethe 112-34-5	er = 5660 mg/kg	= 5660 mg/kg (Rat)		ng/kg (Rabbit)		
Butoxyethanol 111-76-2	= 470 mg/kg	(Rat)	= 99 mg	g/kg (Rabbit)	=	: 450 ppm (Rat)4 h
ALCOHOLS, C9-11,	= 1400 mg/kg (Rat	> 2 g/	kg (Rabbit)			
ETHOXYLATED	(Rat)		-			
68439-46-3						
Information on toxicologic	al effects					
Symptoms	No informati	on available.				
Delayed and immediate eff	ects as well as chroni	c effects from	short and I	ong-term expos	sure	
Skin corrosion/irritation	No informati	on available.				
Eye damage/irritation	No informati					
Sensitization	No informati					
Germ Cell Mutagenicity	No informati					
Carcinogenicity			hether each	agency has liste	ed any ing	edient as a carcinogen
Chemical Name	ACGIH	IARC		NTP	, ,	OSHA
Butoxyethanol 111-76-2	A3					
ACGIH: (American Confe	erence of Governmental	Industrial Hvgier	nists)			
A3 - Animal Carcinogen IARC: (International Agen			,			
Group 3 - Not Classifiable a						
Reproductive toxicity	No informati	on available.				
Developmental Toxicity	No informati	on available.				
STOT - single exposure	No informati	on available.				
STOT - repeated exposure	No informati	on available.				
Chronic toxicity	Avoid repeat	ed exposure. M	ay cause a	dverse liver effec	cts.	
Target Organ Effects	Blood, Central nervous system, Eyes, Hematopoietic System, Kidney, Liver, Respiratory system, Skin.					
Aspiration hazard	No informati					
Numerical measures of tox	icity - Product Inform	nation				
The following values are ca	alculated based on ch	apter 3.1 of the	GHS docu	ument .		
ATEmix (oral)	31901 mg/			· ·		
ATEmix (dermal)	18175 mg/					
ATEmix (inhalation-gas						
ATEmix (inhalation-dus						
	12. EC	OLOGICAL	INFORM	ATION		
Ecotoxicity_						
2 EE770/ of the ministrum and	into of components(-)	funknown har	rda ta tha a		ont	
3.5577% of the mixture cons Chemical Name	Toxicity to			iquatic environm		ity to daphnia and othe
						,

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Diethylene glycol monobutyl ether 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	100: 48 h Daphnia magna mg/L EC50 2850: 24 h Daphnia magna mg/L EC50
Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50

## Persistence and degradability No information available.

#### **Bioaccumulation**

No information available.

Chemical	Name	Partition coefficient		
Butoxyethanol 0.81 111-76-2				
Other adverse effects	No information available			
	13. DISPOSAL C	CONSIDERATIONS		
Waste treatment				
Waste Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.			
Contaminated packaging	Do not re-use empty containers.			
	14. IKANSFUR			
<u>DOT</u>	Not regulated			
IMDG	Not regulated			
IATA	Not regulated			
15. REGULATORY INFORMATION				
International Inventories TSCA DSL/NDSL	Complies Complies			

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Diethylene glycol monobutyl ether - 112-34-5	1.0
Butoxyethanol - 111-76-2	1.0
SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

## **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## US State Regulations

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Diethylene glycol monobutyl ether 112-34-5	Х		Х
Butoxyethanol	Х	X	Х
111-76-2			

## U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
<u>NFPA</u>	Health hazard 2	Flammability 1	Instability 0	Physical and chemical hazards	
HMIS	Health hazard 2	Flammability 1	Physical Hazard 0	Personal protection X	
Prepared By	Aramsco Environn	nental Health & Safety			
Revision Date	17 Feb 2	5			
Revision Note					
No information available					

#### Disclaimer

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet