

OmniPro
TITAN-Q
 1 gallon
 12.22.23 A1

18.0000 in

6.0000 in

DISINFECTATION PERFORMANCE: This product kills the following bacteria in 10 minutes at 2 fl. oz. per gal. of 400 ppm hard water (850 ppm active) and 5% soil on hard, non-porous surfaces: *Acinetobacter baumannii*, *Campylobacter jejuni*, *Enterococcus faecalis*, *Enterococcus faecium* VRE, *Escherichia coli*, *Escherichia coli* (ESBL), *Escherichia coli* (MDR), *Klebsiella aerogenes*, *Klebsiella pneumoniae*, *Klebsiella pneumoniae* (MDR), *Listeria monocytogenes*, *Pseudomonas aeruginosa*, *Pseudomonas aeruginosa* (MDR), *Salmonella enterica*, *Salmonella enterica* subspecies *enterica* serovar *Paratyphi B*, *Salmonella enterica* subspecies *enterica* serovar *Typhi*, *Serratia marcescens*, *Shigella dysenteriae*, *Shigella flexneri* serotype 2B, *Shigella sonnei*, *Staphylococcus aureus*, *Staphylococcus aureus* (MDR), *Staphylococcus aureus* CA-MRSA, *Staphylococcus aureus* HA-MRSA, *Streptococcus pyogenes*.

NON-FOOD CONTACT SURFACE SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 1 minute at 3 fl. oz. per gal. of 400 ppm hard water (1275 ppm active) and 5% soil on hard, non-porous surfaces against: *Staphylococcus aureus*, *Klebsiella pneumoniae*.

NON-FOOD CONTACT SURFACE SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 4 minutes at 1 fl. oz. per 3 gal. of 400 ppm hard water (150 ppm active) and 5% soil on hard, non-porous surfaces against: *Staphylococcus aureus*, *Klebsiella pneumoniae*.

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 6 fl. oz. per gal. of 400 ppm hard water (2550 ppm active) and 5% soil on hard, non-porous surfaces: *Candida albicans*, *Trichophyton interdigitale*.

VIROCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 3 fl. oz. per gal. of 400 ppm hard water (1275 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A (H5N1) Virus, Coronavirus, Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Human Coronavirus, HIV-1†, Influenza A (H3N2) Virus, Influenza A (H1N1) Virus, Respiratory Syncytial Virus, Rotavirus, SARS-CoV-2‡, Vaccinia Virus. †Indicates a 2-minute contact time is required for this claim.

This product kills the following virus in 10 minutes at 6 fl. oz. per gal. of 400 ppm hard water (2550 ppm active) and 5% soil on hard, non-porous surfaces: Norovirus**.

MILDEWSTATIC PERFORMANCE: This product controls the following mold/mildew at 1.25 fl. oz. per gal. of 400 ppm hard water (525 ppm active) and 5% soil on hard, non-porous surfaces for up to 7 days: *Aspergillus niger*.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Before using this product in federally inspected meat and poultry food processing plants, food products and packaging materials must be removed from the room or carefully protected. This product is not for use on medical device surfaces.

DILUTION TABLE:

Use	Dilution	Contact Time
For Bactericidal Hospital Disinfectant claims	2 fl. oz. / gal. water	10 minutes
For General Bactericidal Disinfectant claims	2 fl. oz. / gal. water	10 minutes
For SARS-CoV-2 and HIV-1 claims	3 fl. oz. / gal. water	2 minutes
For Public Health Virucidal* claims	3 fl. oz. / gal. water	10 minutes
For Public Health Virucidal** claims	6 fl. oz. / gal. water	10 minutes
For Non-Food Contact Sanitizing claims at 150 ppm active	1 fl. oz. / 3 gal. water	4 minutes
For Fungicidal claims	6 fl. oz. / gal. water	10 minutes
For Mildewstatic claims	1.25 fl. oz. / gal. water	Up to 7 days

HOSPITAL/HEALTH CARE/MEDICAL/NON-MEDICAL

FOR USE AS A GENERAL, HOSPITAL DISINFECTANT, VIROCIDE, FUNGICIDE, DEODORIZER, CLEANER:** Prepare a use solution of 6 fl. oz. of this product per gal. of water.

- Pre-clean visibly soiled areas.
- Apply use solution to hard, non-porous surfaces with a sponge, brush, cloth, mop, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray.
- Treated surfaces must remain visibly wet for for 2 minutes to kill SARS-CoV-2 and 10 minutes to kill other listed organisms. Rinse with potable water after use on surfaces that come in contact with food.
- Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.
- Prepare a fresh solution daily or when visibly dirty.

BLOODBORNE PATHOGEN INSTRUCTIONS:

***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1, Hepatitis B Virus and Hepatitis C Virus.

OMNIPro
TITAN-Q
 DISINFECTANT

Cleaner · Disinfectant · Deodorizer
*Fungicide · Mildewstat · Virucide**

ACTIVE INGREDIENTS:
 Alkyl (50% C14, 40% C12, 10% C16)
 Dimethyl Benzyl Ammonium Chloride2.200%
 Octyl Decyl Dimethyl Ammonium Chloride1.650%
 Didecyl Dimethyl Ammonium Chloride0.825%
 Dioctyl Dimethyl Ammonium Chloride0.825%
OTHER INGREDIENTS: 94.500%
TOTAL: 100.000%

KEEP OUT OF REACH OF CHILDREN
DANGER

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear a minimum of a NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter, goggles or face shield, chemical-resistant gloves, and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters, and shrimp.



EPA Reg. No. 10324-80-92595
 EPA Est. No. 6574-KY-1

Net Contents: 1 Gallon (3.79 L)

XXX-XXX

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. **Personal Protection:** Specific barrier protection items to be worn when handling items soiled with blood or body fluids are disposable rubber gloves, gowns, masks, and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV-1, HBV and HCV must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal. **Contact Time:** Allow hard, non-porous surface to remain visibly wet for 2 minutes to kill HIV-1 and for 10 minutes to kill all other viruses* and bacteria listed on the label.

SANITIZING

NON-FOOD CONTACT SURFACE SANITIZING: Pre-clean visibly soiled surfaces. Add 1 fl. oz. of this product per 3 gal. of water. Apply solution to hard, non-porous surfaces with a sponge, brush, cloth, mop, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray. Treated surfaces must remain visibly wet for 4 minutes. Prepare a fresh solution daily or when visibly dirty.

FOGGING

ALL SURFACES MUST BE CLEANED AND DISINFECTED IN ACCORDANCE WITH LABEL DIRECTIONS PRIOR TO FOGGING.
CLEANING IN DAIRIES, BEVERAGE, AND FOOD PROCESSING PLANTS USING FOGGING DEVICES: Prior to fogging, food products and packaging material must be removed from the room or carefully protected. After disinfecting, fog desired areas using 0.5 quart per 1000 cubic feet of room area with a solution containing 3 fl. oz. of product per gal. of water. Do not breathe spray mist. Wear a minimum of a NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter when mixing the use solution and pouring it into the fogging apparatus. Vacate the area of all personnel during fogging and for a minimum of 2 hours after fogging and a minimum of 4 air exchanges (ACH) per hour in the facility. When fogging is complete, ventilate buildings and other closed spaces. All surfaces that come in contact with food must be rinsed with potable water and then sanitized with an EPA registered food contact sanitizer solution prior to use. **Note:** The fog generated is irritating to the eyes, skin, and mucous membranes. Under no circumstances must a room or building be entered by anyone within 2 hours of the actual fogging and a minimum of 4 air exchanges (ACH) per hour in the facility. If the building must be entered, then the individuals entering the building must wear a minimum of a NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter, goggles, long sleeves, gloves, and long pants.

TO CONTROL MOLD/MILDEW: Pre-clean visibly soiled hard, non-porous surfaces. Prepare use solution by adding 1.25 fl. oz. of this product per gal. of water. Apply use solution to hard, non-porous surfaces and allow to air dry, which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every 7 days, or more often if new growth appears.

WATER AND SMOKE DAMAGE RESTORATION

SEWER BACKUP AND RIVER FLOODING: To use as a deodorizer, dilute 2 - 4 fl. oz. of this product per gal. of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a mechanical spray device, or hand pump trigger spray device before and after cleaning and extraction. Spray 6-8 inches from surface. Do not breathe spray. Use proper ventilation; open windows. (Not for use in CA.)

CARPETS, CARPET CUSHIONS, UPHOLSTERY, DRAPES AND OTHER POROUS MATERIALS, SUB FLOORS, DRYWALL, TRIM AND FRAME LUMBER, TACKLESS STRIP AND PANELING: To use as a deodorizer against water damage, extract the excess water. Test hidden area for colorfastness. Dilute 2 - 4 fl. oz. of this product per gal. of water, allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Apply directly with a mechanical spray device or hand pump trigger spray device to fully saturate affected materials. Spray 6-8 inches from surface. Do not breathe spray. Roll, brush or agitate into materials. Follow with a thorough extraction. Dry rapidly and thoroughly. (Not for use in CA.)

WATER AND SMOKE DAMAGE RESTORATION: Effective against odor caused by smoke and water damage. This product is particularly suitable for use in water damage restoration. Dilute 2 - 4 fl. oz. of this product per gal. of water, allowing for the diluting effect of absorbed water within saturated materials. Saturate affected materials with enough product to remain visibly wet for at least 10 minutes. Use proper ventilation. (Not for use in CA.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Distributed by: NatuReal, LLC
 2091 NE 36th Street #50548
 Lighthouse Point, FL 33074
 800.921.4634
 Made in the USA