

Material Safety Data Sheet

HMIS		NFPA
Health Hazard Fire Hazard Reactivity	1 1 0	Health Reactivity
Personal Protection	С	Specific Hazard

1. Chemical Product & Company Data

Product Name: OdorX Tabac-Attack™	Revision Date: January 24, 2013
Manufacturer:	Supplier:
ProRestore Products 1016 Greentree Road, Suite 115 Pittsburgh, PA 15220 Telephone: 1-412-264-8340	
CHEMICAL EMERGENCY: INFOTRAC (US) 1-800-535-5053 (INT'L) 1-800-323-3500	

2. Hazardous Ingredients

Name	CAS #	UN #	% by volume
Ethyl Alcohol	64-17-5		1-5
Dipropylene Glycol	25265-71-8		1-5
Fragrance - Aromatics (aldehydes, esters & ketones) and alcohols	n. av.		1-5
Octylphenoxypolyethoxyethanol (nonionic surfactant)	9036-19-5		1-5

3. Hazards Identification

Emergency Overview

Skin and eye irritant.

NOTE: Hazard information is based on the characteristics of the components of this mixture.

Ingestion - may cause abdominal discomfort, nausea, vomiting and diarrhea. Drowsiness or unconsciousness may occur.

Inhalation - low concentration of the vapor may cause irritation of the respiratory tract with possible chest pain and coughing. High concentrations may cause headache and drowsiness.

Eye contact - causes severe eye irritation and possible corneal injury.

Skin contact - prolonged contact may cause discomfort, redness, drying and defatting of the skin.

4. First Aid

Ingestion - If patient is conscious give two glasses of water. Do not induce vomiting. Seek medical attention immediately.
Inhalation - Remove to fresh air. Administer artificial respiration if not breathing.
Eye contact - Flush eyes with water for 15 minutes. Seek immediate medical attention.
Skin contact - Remove contaminated clothing. Wash skin with soap and water. Obtain medical attention if irritation persists.

5. Fire Fighting Measures

Flammability Yes No	X	If yes, under which conditions?		Potential fire hazard wh other souces of ignitio	
Flashpoint: 147 ⁰ F		Upper flammable limit % by volume n. av.		Lower flammable lim % by volume	it n. av.,
Autoignition temperature n. av.		Hazardous combustion productsExplosion dataCarbon monoxide and/or carbon dioxiden. ap.			
Means of extinction: Apply alcohol type or all purpose foam for large fires. Use dry chemical media or carbon dioxide extinguishers for small fires. SCBA and bunker gear for fire department personnel.					

6. Accidental Release Measures

Eliminate all sources of ignition.

Wear personal protective equipment.

Do not allow spill to reach watercourse or sewers.

Contain spill with absorbent mats or booms or inert materials such as sand. Material should be readily available in the workplace.

Collect and store waste materials in suitable containers for disposal i.e. metal drums.

7. Handling & Storage

Use non sparking tools and explosion proof mechanical equipment when working with this liquid i.e. pumps and sprayers. Extinguish all sources of ignition in the work area. If the product is stored in metal containers the container must be grounded and bonded prior to dispens- ing the liquid. To prevent vapor escaping to the atmosphere keep all containers closed or covered. The product should be stored in a separate room equipped for flammable liquid storage or small volumes may be stored in a flammable liquid cabinet. Check local Health and Safety Authority for the volume limits in these situations. Eyewash stations are required in the workplace. If eye irritation is encountered the use of a full facepiece respirator is recommended. Mechanical ventilation is recommended in enclosed workspaces. Area should be evacuated of all non essential personnel prior to application of product.

8. Exposure Controls & Personal Protection

Personal Protective Equipment					
Gloves Natural Rubber	Respirator NIOSH TC-23C organic vapor respirator or equivalent			Eye Goggles or full face respirator	
Footwear n. ap.	Clothing Coveralls or equivalent			Other Ventilate well; be sure surfaces are dry before reoccupying	
Exposure Guidelines					
none established for product	OSHA			ACGIH	
	TWA	STEL	TWA	STEL	
2-propanol	400 ppm	500 ppm	400 ppm	500 ppm	
Limit values in other countries:					
2-propanol	UK OES (8 hr TWA)		hr TWA)	999 mg/m³	
2-propanol	Australia	(8 hr	TWA)	500 mg/m ³	

Tabac-Attack

9. Physical and Chemical Properties

Physical state	Odor and appearance	Odor and appearance		
Liquid	Clear liquid, pleasant fragr	Clear liquid, pleasant fragrant aroma		
Odor threshold (ppm)	Vapor pressure (mm Hg)	Vapor density (Air=1)		
n. av.	< 5	n. av.		
Evaporation	Boiling point	Freezing point		
(butyl acetate = 1) n. av.	202 °F (95 °C)	n. av.		
рН 5.2	Specific gravity 1.0	Coefficient water/oil distribution n. av.		
Solubility in water	Viscosity	% Volatiles (by weight)		
100%	n. av.	n. av.		

10. Stability and Reactivity

Chemical Stability Yes X No		If no, under which conditions?	
Incompatibility with other s Yes No	substances	If yes, under which conditions?	
Reactivity, and under Stable under normal conditions. what conditions?			
Hazardous decomposi- tion products?	Carbon monoxide ar	nd/or carbon dioxide as combustion by-products.	

11. Toxicological Information

The real of ogical information						
Route of Entry Skin Contact X	Skin Absorption Eye Co	ontact X Inhalation X	Ingestion X			
No toxicity studies have been conducted for the product.						
Carcinogenicity No	Mutagenicity No	Teratogenicity No	Reproductive toxicity No			
Synergistic products No	Sensitization No	Neurotoxicity No	Target organs Eyes and Skin			

12. Ecological Information

Octylphenoxypolyethoxyethanol (CAS # 9036-19-5) Aquatic effects 96 hr. Fathead Minnow LC50 8.9mg./L

Tabac-Attack

13. Disposal Considerations

Dispose of in compliance with all Federal, state and local laws and regulations.

14. Transport Information

Note: In containers of 119 gallons (US) capacity or less this product is not regulated by D.O.T.

Shipping Name: Hazard Class: UN Identification #:

15. Regulatory Information

This material safety data sheet has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Hazardous Products Act (Can.) and the Controlled Products Regulations (Can.) This product has been classified in accordance with the hazard criteria of the CPR (Can.) and the MSDS contains all the information required by the CPR (Can.).

This product is classed as a skin and eye irritant - 29 CFR 1910.1200 and Controlled Products Regulations (Can.)

WHMIS classification B3 D2B

This product is not subject to the reporting requirement of Section 313 of Title III of Superfund Amendments and Reauthorization Act (SARA) 1986 and 40 CFR part 372.

16. Other Information

Abbreviations:

n. av. = not available mm Hg = millimeters of Mercury COC = Cleveland Open Cup LD = Lethal Dose n. ap. = not applicable PMCC = Pensky Martens Closed Cup TWA = Time Weighted Average LC = Lethal Concentration ppm = parts per million TCC = Tagliabue Closed Cup STEL = Short Term Exposure Limit cs = centistokes

This information is furnished without warranty, expressed or implied except that it is accurate to the best knowledge of ProRestore Products. The data and information on this sheet relates only to the specific material designated herein. ProRestore Products assumes no legal responsibility for use or reliance upon this data.