



Safety Lockout Products





DO NOT






Safety

Signs

Table of Contents

Padlocks, Identification, and Accessories



www.safetyseries.com

P27

Tags – P28

Tag Stations - P41



Zenex[™] Thermoplastic Safety Padlocks

Optimal safety padlock designed exclusively for Lockout/Tagout by Safety Directors. Distinctive Zenex[™] thermoplastic safety padlock is durable, standardized, substantial and identifiable for OSHA 1910.147 compliance. Stands up to chemicals, temperature extremes, and is UV stable.

ZENEX[™] THERMOPLASTIC SAFETY PADLOCK FEATURES

- Durable padlocks weigh only ounces (400 series 4 oz., S30 Series 3 oz.), making it easy to carry many
- Temperature tested from -50° F to +350° F
- Excellent corrosion resistance
- ► UV stable
- ► No silicone used in padlock
- Over 40,000 unique safety key codes available. Over 1 million possible codes with optional key cylinders.
- Keyed Different, Keyed Alike and Master Keyed options
- Key retaining ensures padlock is not accidentally left unlocked. S33 non keyretaining for group lockout
- Includes one key to ensure compliance with OSHA guideline of one employee, one padlock, one key

- Available in up to 9 colors
- Includes write-on "Danger" and "Property Of" labels
- Body sides and face can be laser engraved for permanent identification
- Non-rekeyable ensures your safety lockout system stays pure by preventing haphazard rekeying and the accidental introduction of duplicate key codes
- Your facility's padlocks can be key charted to ensure no duplicate key numbers are supplied and accidentally handed out to multiple employees
- Virtually all components are made in the U.S.A.
- Uses FDA approved lubricants safe for use in food processing





410 Zenex[™] Thermoplastic Safety Padlock

- 1/4" diameter, 1-1/2" or 3" tall plated metal shackles
- High security, reserved for safety cylinder

- Key-Retaining, ensures padlock is not accidentally left unlocked
- English, Spanish, and French labels included

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
410 Safety Padl	ocks		14 <u>1</u> 21
1-1/2" Wide, 1-3/	/4" Tall Zenex™ Thermoplastic Body. Shackle Dimensions: A: 1/4" C" 25/32"		(A)
410RED	Keyed Different	1-1/2″	🛉
410LTRED	Keyed Different, Extra Length Shackle	3″	
410KARED	Keyed Alike	1-1/2″	
410KALTRED	Keyed Alike, Extra Length Shackle	3″	
410MKRED	Master Keyed	1 1 /0"	
410KAMKRED	Keyed Alike, Master Keyed	1-1/2"	∊╶₩⋭⋑ ⋎⋼
Eight Color Option:	s: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ		
S140	Write on North American English, Spanish, and French. Multilingual label o	ptions available. (50 labels/language)	
S142	North American English, Spanish & French Padlock Labels for 406, 410, S31	& S33 (6 pk.)	

Keyed Alike Sets Available

406 Zenex[™] Thermoplastic Non-Conductive, Non-Magnetic, Non-Sparking Safety Padlock

- Ideal for confined spaces, medical, military, mining and electrical lockout
- ► 1/4" diameter, 1-1/2" tall nylon shackle with Zenex[™] thermoplastic composite plastic body
- All components are non-sparking and non-magnetic plastic, copper, or brass
- > Exposed components are plastic and do not conduct electricity
- Shackle withstands over 300 lb pull force


Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
406 Non-Conduc	tive, Non-Magnetic, Non-Sparking Safety Padlocks		484-254
1-1/2" Wide, 1-3/	4" Tall Zenex™ Thermoplastic Body. Shackle Dimensions: A: 1/4" C" 25/32"		(A)
406RED	Keyed Different, Dielectric		🛉
406KARED	Keyed Alike]	
406MKRED	Master Keyed	1-1/2″	
406KAMKRED	Keyed Alike, Master Keyed		
406AST	Pack – One each of all eight colors. Keyed Different		
Eight Color Options	: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ		
S140	Write on North American English, Spanish, and French. Multilingual label options availa	able. (50 labels/language	.)
S142	North American English, Spanish & French Padlock Labels for 406, 410, S31 & S33 (6 pk	c.)	

Keyed Alike Sets Available

411 Zenex[™] Thermoplastic Bilingual Safety Padlock

- ► Tall body with 1/4" diameter, 1-1/2" or 3" tall plated metal shackles
- ▶ High security, reserved for safety cylinder
- English/Spanish and English/French combined labels

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic	\cap
411 Bilingual Sat	fety Padlocks			1
1-1/2" Wide, 3" Ta	all Zenex [™] Thermoplastic Body. Shackle Dimensions: A: 1/4″C" 25/32"			
411RED	Keyed Different	1-1/2″	5	
411LTRED	Keyed Different, Extra Length Shackle	3″		
411KARED	Keyed Alike	1-1/2″		(CANADO)
411KALTRED	Keyed Alike, Extra Length Shackle	3″		LOCKED OUT 10 NOT HEADLE
411MKRED	Master Keyed			W MU REALE
411KAMKRED	Keyed Alike, Master Keyed	1-1/2"		PELAND
411AST	Pack – One each of all eight colors. Keyed Different			CERRADO
Eight Color Options	: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ			NO LO QUITE
S141	Write on North American English/Spanish, English/French. Bilingual options available. (50	labels/language)		4110
0411-5705	Photo ID labels for 411 padlocks (6 pk.)			411BLU





S33 Global Zenex[™] **Thermoplastic Snap Lock Safety Padlock**

- 3/16" Marine grade 316 stainless steel shackle for superior corrosion resistance
- Non key retaining padlock can be left unlocked and snap locked as needed. Ideal for use with 498A or 503 series group lock boxes

S32 Zenex[™] Thermoplastic Dielectric Safety Padlock

- ▶ Non-Conductive, Non-Magnetic, Non-Sparking Safety Padlock all components are plastic, copper or brass
- Ideal for confined spaces, medical, military, mining & electrical lockout Patented

- Available with 1-1/2" or 3" tall shackle
- Patented
- - ▶ 3/16" diameter x 1-1/2" high plastic shackle
 - Key-Retaining, ensures padlock is not accidentally left unlocked

S31 Global Zenex[™] Thermoplastic Safety Padlock

- ▶ 3/16" Marine grade 316 stainless steel shackle for superior corrosion resistance
- Available with 1-1/2" or 3" tall shackle
- Patented
- Key retaining ensures padlock is not accidentally left unlocked

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
Zenex™ Thermop	lastic Snap-Lock Safety Padlock		
1-3/8" Wide, 1-7/8"	Tall Zenex [™] Thermoplastic Body. Shackle Dimensions:	A: 3/16" C: 5/8"	
S33RED	Keyed Different	1-1/2"	
S33LTRED	Keyed Different, Extra Length Shackle	3"	
S33KARED	Keyed Alike	1-1/2"	
S33KALTRED	Keyed Alike, Extra Length Shackle	3"	
S33MKRED	Master Keyed	1-1/2"	HAHCH
S33KAMKRED	Keyed Alike, Master Keyed	1-1/2	122
Zenex™ Thermop	lastic Dielectric Safety Padlock		((ť±ĭ)
1-3/8" Wide, 1-7/8"	Tall Zenex [™] Body. Shackle Dimensions: A: 3/16" C: 5/8	18	🖞
S32RED	Keyed Different		╷╷╷╴┱╶╷╷
S32KARED	Keyed Alike	1-1/2"	
S32MKRED	Master Keyed	1-1/2	
S32KAMKRED	Keyed Alike, Master Keyed		
Zenex™ Thermop	lastic Safety Padlock		
1-3/8" Wide, 1-7/8"	Tall Zenex [™] Thermoplastic Body. Shackle Dimensions:	A: 3/16" C: 5/8"	
S31RED	Keyed Different	1-1/2"	
S31LTRED	Keyed Different, Extra Length Shackle	3"	
S31KARED	Keyed Alike	1-1/2"	
S31KALTRED	Keyed Alike, Extra Length Shackle	3"	
S31MKRED	Master Keyed	1 1 /2"	
S31KAMKRED	Keyed Alike, Master Keyed	1-1/2"	
Nine Color Options:	Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TE	EAL, PRP, ORJ, WHT	
COV	Seals at shackle and keyway to help keep out dust an	d grime in extreme environments	
S140	Write on North American English, Spanish, and Frence		
S142	North American English, Spanish & French Padloc	k Labels for 406, 410, S31 & S33 (6 pk.)





Keyed Alike Sets Available

RFD YIW GRN BLU BLK TEAL PRP ORJ WHT





Safety Padlock Keyed-Alike Sets

Popular quanities of safety padlocks are conveniently packed in sets, simplifying the order process.

Safety Padlock Keyed-Alike Sets

Safety Padlocks Built and Packed in Popular Keyed Alike Quantities

Workers often need to lock out more than one energy source on a single piece of equipment. Keyed alike safety padlocks can help serve this purpose.

To simplify and expedite ordering, Master Lock now offers our Zenex[™] Thermoplastic, Aluminum and Steel safety padlocks in popular keyed alike quantities – sets of 3, 6, 12, 18 or 24 locks. These locks are ordered as "1" unit and are packed together making them easy to distribute.

i unit and a	are packed together making them easy to distribute.
	'Denotes quantity of padlocks per keyed alike set. se quantity and color of set(s) at time of purchase.
Master Lock Model	Description
Zenex [™] Therm	oplastic Safety Padlocks, 1/4" dia shackle
406KASn	
410KAS n	Choose quantity per set; 3, 6, 12, 18 or 24 (e.g. 406KAS24RED = twenty-four red 406KA Padlocks)
411KAS n	
Eight Color Option	ns: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK, PRP, TEAL
Zenex [™] Therm	oplastic Safety Padlocks, 3/16" dia shackle
S31KASn	Choose quantity per set; 3, 6, 12, 18 or 24
S33KASn	(e.g. S31KAS3BLU = three blue S31KA Padlocks)
Nine Color Option	s: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK, PRP, TEAL, WHT
Powder Coated	l Aluminum Safety Padlocks, 1/4" dia shackle
6835KASn	Choose quantity per set; 3, 6, 12, 18 or 24 (e.g. 6835KAS12GRN = twelve green 6835KA Padlocks)
Six Color Option	ns: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK
Anodized Alur	ninum Safety Padlocks, 1/4" dia shackle
A1105KAS n	Choose quantity per set; 3, 6, 12, 18 or 24
A1106KAS n	(e.g. A1105KAS6ORJ = six orange A1105KA Padlocks)
Nine Color Option	ns: Add Desired Color Suffix: RED, BLU, BRN, GRN, YLW, BLK, ORJ, CLR, PRP
Laminated Ste	el, 9/32" dia shackle
3KASn	Choose quantity per set; 3, 6, 12, 18 or 24 (e.g. 3KAS18YLW = eighteen yellow 3KA Padlocks)
Six Color Options	s: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, WHT.





Note: Contact Master Lock Customer Care to supply your site's End User Registration ID Number and the key numbers received to update your site's Key Chart.





Aluminum Safety Padlocks

Lightweight and durable aluminum body for Lockout/Tagout. Choose from powder coated or anodized finish. Stands up to chemicals, temperature extremes, and is UV stable.

ALUMINUM SAFETY PADLOCK FEATURES

- Durable padlock weighs 5 ounces, making it easy to carry
- Solid body construction stands up to physical abuse
- Temperature tested from -35° F to +350° F.
- Excellent corrosion resistance
- UV stable
- No silicone used in padlock
- 1/4" diameter boron steel shackle with plated finish for corrosion resistance
- Keyed Different, Keyed Alike and Master Keyed options
- Available with 1", 1-1/2" or 3" tall shackle
- Brass shackle option available for spark resistance
 - 68350RJ with 6835BLK 6835LFGRN

- Write-on labels and Photo ID labels available
- Body sides and face can be laser engraved for permanent identification
- Key retaining option available. Includes two keys.
- Your facility's padlocks can be key charted to ensure no duplicate key numbers are supplied and accidentally handed out to multiple employees
- Virtually all components made in the U.S.A.
- Uses FDA approved lubricants safe for use in food processing



Powder Coated Aluminum Safety Padlocks

6835LFBLU

Master Lock 6835 Series

461 Label

- Available in 6 vibrant colors
- Durable baked-on powder coated finish

Master Lock 6836 Series

- Interchangeable Core Cylinder. Small Format.
- Over 10,000 key changes available. Over 101,000 with optional key cylinder.

6835LTRED

6835LTYLW

Over 101,000 key changes available

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
	Coated Aluminum Padlocks		
1-9/16" Wide H	gh Visibility Aluminum Body. Shackle Dimensions: A: 1/4	" C: 25/32"	
6835RED	Keyed Different	1-1/16"	0
6835LFRED	Keyed Different, Extra Length Shackle	1-9/16"	AN I
6835LTRED	Keyed Different, Extra Length Shackle	3"	
6835KARED	Keyed Alike	1-1/16"	((B))
6835KALFRED	Keyed Alike, Extra Length Shackle	1-9/16"	
6835KALTRED	Keyed Alike, Extra Length Shackle	3"	
6835MKRED	Master Keyed		
6835KAMKRED	Keyed Alike, Master Keyed	1-1/16"	
6835WORED	Lock Body & Shackle w/o Cylinder	1-1/10	
6835KZRED	Zero Bitted		
6836 Interchan	geable Core Powder Coated Aluminum Padlocks		
1-9/16" Wide H	igh Visibility Aluminum Body. Shackle Dimensions: A: 1/4	I" C: 25/32"	🖛 width 🝝
6836RED	Keyed Different	1-1/16"	
6836LFRED	Keyed Different, Extra Length Shackle	1-9/16"	
6836LTRED	Keyed Different, Extra Length Shackle	3"	
Six Color Option	s: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, C)RJ	
6835-5700	Photo ID labels for 6835, 6836, A1105, A1106, A1107 p	adlocks – 1-1/4" W x 1-3/4" T	
461	Padlock labels with clear overlaminate (50 pk.) - 5" W	(1" T	

Keyed Alike Sets Available



National Customer Service: 1300 360 211

RED

YLW

GRN

BLU

BLK

ORJ



Anodized Aluminum Safety Padlocks

American Lock A1100 Series


- ► Available in 9 colors
- > Durable anodized finish suitable for lockout in food processing facilities
- ▶ Over 10,000 key changes available. Over 101,000 with optional key cylinder.

American Lock A3100 Series ▶ Interchangeable Core Cylinder. Small Format.

- Over 101,000 key changes available

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
Anodized Alumi			
	ized Aluminum Body. Shackle Dimensions: A: 1/4" C: 3/4"		
A1105RED	Keyed Different		
A1105KARED	Keyed Alike		
A1105MKRED	Master Keyed		
A1105KAMKRED	Keyed Alike, Master Keyed		
A1106RED	Keyed Different, Extra Length Shackle		
A1106KARED	Keyed Alike	1-1/2"	((<u>B</u>))
A1106MKRED	Master Keyed	1-1/2	
A1106KAMKRED	Keyed Alike, Master Keyed		
A1107RED	Keyed Different, Extra Length Shackle		
A1107KARED	Keyed Alike	3"	
A1107MKRED	Master Keyed		L
Also available as	6-pin; A1165, A1166, A1167		l ← width ->
Interchangeable	e Core Anodized Aluminum Padlocks		
1-1/2" Wide Anoc	ized Aluminum Body. Shackle Dimensions: A: 1/4" C: 3/4"		
A3105RED	Keyed Different	1"	
A3106RED	Keyed Different, Extra Length Shackle	1-1/2"	
A3107RED	Keyed Different, Extra Length Shackle	3"	
Also available as	6-pin; A3165, A3166, A3167		
Nine Color Options:	Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, PRP, ORJ, BRN, CLR		
6835-5700	Photo ID labels for 6835, 6836, A1105, A1106, A1107 padlocks - 1-1	/4" W x 1-3/4" T	
461	Padlock labels with clear overlaminate (50 pk.) - 5" W x 1" T		

Keyed Alike Sets Available - A1105 and A1106 padlocks





Steel Safety Padlocks

Strong and economical. Reinforced laminated steel construction stands up to extreme physical abuse.

STEEL SAFETY PADLOCK FEATURES

- Weighs approximately 7 ounces.
- Temperature tested from -70° F to 210° F.
- ▶ 9/32" diameter shackle
- Available with 3/4", 1-1/2" or 2" tall shackle
- ▶ 6 bumper colors available
- Keyed Different, Keyed Alike and Master Keyed options
- Over 1400 unique key codes available
- Includes 2 keys

- Key code stamped in key and on bottom of padlock
- Wrap around, write on labels available for identification
- Your facility's padlocks can be key charted to ensure no duplicate key numbers are supplied and accidentally handed out to multiple employees
- Virtually all components made in the U.S.A.
- Uses FDA approved lubricants safe for use in food processing



3 Steel Safety Padlock

Description	Vertical Shackle Clearance (B)	Schematic			
1-9/16" Wide Laminated Steel Body. Shackle Dimensions: A: 9/32" C: 5/8"					
Keyed Different	3/4"				
Keyed Different, Extra Length Shackle	1-1/2"				
Keyed Different, Extra Length Shackle	2"				
Keyed Alike	3/4"				
Keyed Alike, Extra Length Shackle	1-1/2"				
Keyed Alike, Extra Length Shackle 2"		((B))			
Master Keyed	3///"				
Keyed Alike, Master Keyed	3/4				
Assortment Packs					
One each of all six #3 colors. Keyed Different	1-1/2"				
One each of all six #3LH colors. Keyed Different	2"	l ≪ width-►			
Safety Starter Kit. Two 420 safety lockouts; six 3 safety lockout padlocks (one each color); six 71TAG ID tags; and six 71SC9 attachment collars	1-1/2"				
s: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK,	WHT.				
Padlock labels with clear overlaminate (50 pk.)					
	minated Steel Body. Shackle Dimensions: A: 9/32" (Keyed Different Keyed Different, Extra Length Shackle Keyed Alike Keyed Alike, Extra Length Shackle Keyed Alike, Extra Length Shackle Keyed Alike, Extra Length Shackle Master Keyed Keyed Alike, Master Keyed Assortment Packs One each of all six #3 colors. Keyed Different One each of all six #3 LH colors. Keyed Different Safety Starter Kit. Two 420 safety lockouts; six 3 safety lockout padlocks (one each color); six 71TAG ID tags; and six 71SC9 attachment collars S: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK,	DescriptionShackle Clearance (B)aminated Steel Body. Shackle Dimensions: A: 9/32" C: 5/8"Keyed Different3/4"Keyed Different, Extra Length Shackle1-1/2"Keyed Different, Extra Length Shackle2"Keyed Alike, Extra Length Shackle2"Keyed Alike, Extra Length Shackle1-1/2"Keyed Alike, Extra Length Shackle2"Master KeyedMaster KeyedOne each of all six #3 colors. Keyed Different2"Safety Starter Kit. Two 420 safety lockouts; six 3 safety lockout padlocks (one each color); six 71TAG ID tags; and six 71SC9 attachment collars:: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, WHT.			

Keyed Alike Sets Available



Breakaway Shackle Padlock

Laminated Steel Padlock with Breakaway Shackle for Emergency Access

Ideal for emergency situations where emergency access is needed, such as fire extinguishers and hoses.

NOTE: Does not meet OSHA 1910.147 Lockout/Tagout Standard.

Master Lock Model #	Description	Vertical Shackle Clearance (B)
500KABRK	Keyed Alike, Warded Locking Mechanism. Breakaway Shackle	13/16"







Master Lock offers the widest range of padlock identification products available.

Padlock Identification Labels

0411-5705

6835-5700

Master Lock Model #	Description	Dimensions
0411-5705	Photo ID labels for 411 padlocks (6/pk)	1" W x 2-3/8" T
6835-5700	Photo ID labels for A1105, A1106, A1107, A1165, A1166, A1167 and 6835 padlocks (6/pk)	1-1/4" W x 1-3/4" T
461	Padlock labels with clear overlaminate (50/pk)	5" W x 1" T
S140	North American English, Spanish & French Padlock Labels for 410, 406, S31 & S33 (50 labels/language)	1" W x 1-3/16" T
S141	North American English/Spanish, & English/French Padlock Labels for 411 padlocks (50 labels/language))	1" W x 2-3/8" T
S142	Photo ID labels for 410, 406, S31, and S33 Padlocks (6/pk)	1" W x 1-1/4" T

DEPT.

S142

461

M <mark>ultilingual</mark> L <mark>abels Available</mark>				危险 已锁住 勿动	AFGESLOTEN NIET VERWIJDEREN	PERIGO ZAMKNUTO NEODSTRAŇOVAT	DANGER VERROUILLÉ NE PAS ENLEVER
Langio Cillio 已锁住 勿动	GEVAAR AFGESLOTEN NIET VERWIJDEREN LOCKED OUT DO NOT REMOVE	CERRADO NO QUITAR LOCKED OUT DO NOT REMOVE	FECHADO NÃO REMOVER LOCKED OUT DO NOT REMOVE	LOCKED OUT DO NOT REMOVE	LOCKED OUT DO NOT REMOVE	LOCKED OUT DO NOT REMOVE	LOCKED OUT DO NOT REMOVE

Master Lock Model #	Description	Dimensions
"Danger Do Not	Operate" Padlock Labels for 410, 406, S31 & S33 padlocks	
S140	North American English, Spanish & French (50 labels/language)	
S140LES	European Spanish (50 labels/language)	
S140LFR	European French (50 labels/language)	
S140LCS	Czech (50 labels/language)	
S140LNL	Flemish/Dutch (50 labels/language)	
S140LDE	German (50 labels/language)	1″ W x 1-3/16″ T
S140LIT	Italian (50 labels/language)	1 1 1 1 3/10 1
S140LJA	Japanese (50 labels/language)	
S140LZH	Mandarin Chinese (50 labels/language)	
S140LPL	Polish (50 labels/language)	
S140LPT	Portuguese (50 labels/language)	
S140LRU	Russian (50 labels/language)	
v	er Do Not Operate" Padlock Labels for 411 padlocks	
S141	North American English/Spanish, & English/French (50 labels/language)	
S141LESLEN	European Spanish/English (50 labels/language)	
S141LFRLEN	European French/English (50 labels/language)	
S141LCSLEN	Czech/English (50 labels/language)	
S141LNLLEN	Flemish/Dutch/English (50 labels/language)	
S141LDELEN	German/English (50 labels/language)	1″ W x 2-3/8″ T
S141LITLEN	Italian/English (50 labels/language)	1 1 1 2-3/0 1
S141LJALEN	Japanese/English (50 labels/language)	
S141LZHLEN	Mandarin Chinese/English (50 labels/language)	
S141LPLLEN	Polish/English (50 labels/language)	
S141LPTLEN	Portuguese/English (50 labels/language) (50 labels/language)	
S141LRULEN	Russian/English (50 labels/language)	

www.safetyseries.com.au



Padlock Accessories & Services

Safety lockout services and accessories for OSHA compliance.

Accessories Safety Lockout Accessories for OSHA compliance

- Chains keep padlocks close to equipment requiring safety lockout
- Engravable brass tag provides for individual worker identification
- ► Tags attach to safety lockout padlocks with 71SC8 and 71SC9 collars

Lockout Leash™ Lanyard

- Lanyard for mounting padlock or hasp near lockout point
- ▶ 36" lanyard can easily be shortened to 2" to reduce excess slack
- ▶ Includes mounting clips for 1/4" and 9/32" diameter shackles
- Fits Master Lock and American Lock Safety Padlocks and most Safety Hasps

Safety Padlock Caddy

- Keep safety padlocks near appropriate machinery
- Hold up to 12 padlocks based on number of lockout points
- When locking out, conveniently carry caddy to all lockout points
- When all padlocks are gone, all lockout points have been met



710.9

71TAG

71SC8

Master Lock Model #	Description
71CS	9" Long lightweight zinc plated steel chain with chain holder attached; fits all Master shackle collars (ordered separately) (12 pk.)
71CH	9" Long heavy-duty zinc plated steel chain with chain holder attached; fits all Master shackle collars
71SC7	Shackle Mounting Collar for S33 (Includes rivets); 12 pack
71SC8	Shackle Collar. Fits 1/4" diameter shackles and smaller; for 410, 411, A1105, A1106, A1107, A1165, A1166, A1167, 6835 and 6836 padlocks
71SC9	Shackle Collar. Fits 9/32" diameter shackles; for 3 laminated steel padlocks
71TAG	1/2" x 1-3/4" Brass tag with ring for attaching to shackle collars listed above
S100	Lockout Leash [™] mounting lanyard – Set length 36" to 2"
S125	Safety Padlock Caddy – Carry up to 12 padlocks from lockout job to job
2305	5.25 oz PTFE-based "dry" aerosol lubricant ideal for padlocks and multi-purpose applications

End User Registration and Key Charting

Free Service Helps Prevent Duplicate Key Codes in a Facility

- Key charting is a record of all the safety padlock key codes assigned to a facility.
- It is important that each authorized employee at a site has a unique padlock key that only opens that employee's safety padlock. This maintains OSHA's one employee-one key directive.
- To help prevent duplicate keys from jeopardizing your lockout program, register your site with Master Lock. Once registered, Master Lock will send you an End User Identification Number for your site's Key Chart.
- When you use that I.D. number on each additional padlock order, Master Lock will use a new key code for each padlock we manufacture for you. When used properly, this free service helps ensure that each employee carries a key unique to them, eliminating unwanted key duplication in a safety lockout program.
- Locate the Master Lock End User Registration form and instructions at www.safetyseries.com, Product Support.





Hasps

Lockout hasps are integral parts of a successful safety lockout program, providing effective multiperson lockout.

Safety Lockout Hasps

Lockout by Multiple Workers at Each Lockout Point

- Attach hasp to energy disconnect switch
- Control cannot be turned on until last worker's padlock is removed from hasp
- Multiple styles available to fit most needs; Spark resistant aluminum, Pry-resistant steel, Dielectric plastic, Dual jaw aluminum

Model 427 – Labeled Snap-On Hasp

4mm Dia.

S430

Steel

- Combines multiple-person lockout and tagout identification
- ► Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
- Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- > Anodized aluminum and stainless steel construction for combined corrosionresistance and strength
- Complete with high visibility, re-usable, write-on safety labels (English, French & Spanish)



"<mark>Snap-On"</mark> Advantage

416

AI 080

418

419

Master Lock Model #	Description	Inside Jaw Clearance	Jaw Dia.	Padlock Capacity
416	Spark Resistant Aluminum 1-1/2" x 4-3/8"	1"	1/4″	6
417	Spark Resistant Aluminum 2" x 4-7/8"	1-1/2"	1/4″	6
418	Heavy Duty Steel 2-3/8" x 3-1/4"	1"	1/4″	4
419	Heavy Duty Steel 2-3/8" x 6-5/8"	3"	1/4″	8
420	Steel Jaw with Vinyl Coated Handle 1-3/4" x 4-1/2"	1"	1/4″	6
421	Steel Jaw with Vinyl Coated Handle 2-3/8" x 5"	1-1/2"	1/4″	6
427	Red Labeled Snap-On Hasp 2-7/8" x 7"			
427AST	Labeled Snap-On Hasp Assortment Pack (6 Hasps, Black, Blue, Green, Red, Purple and Yellow)			
427BLK	Black Labeled Snap-On Hasp 2-7/8" x 7"	1.0./41 0.1./01	4 / 4 //	-
427BLU	Blue Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	1/4″	5
427GRN	Green Labeled Snap-On Hasp 2-7/8" x 7"			
427PRP	Purple Labeled Snap-On Hasp 2-7/8" x 7"			
427YLW	Yellow Labeled Snap-On Hasp 2-7/8" x 7"			
428	Nylon Non-Conductive Hasp 1-5/8" x 6-7/8"	1" x 2-1/2"	3/16"	6
429	Dual Jaw Aluminum Hasp 2" x 5-7/8"	1" & 1-1/2"	1/4"	8
AL080	Tabbed Steel Jaw with Vinyl Coated Handle 1-3/4" x 4-1/2"	1"	3/8"	6
AL0802	Tabbed Steel Jaw with Vinyl Coated Handle 2-3/8" x 5"	1-1/2"	3/8"	6
S430	Steel Hasp with Red Plastic Handle 2-1/4" x 3"	1"	4mm	2
S431	316 Stainless Steel Hasp 1-3/4" x 5-1/4"	1"	4mm	8

AI 080

www.safetyseries.com.au



Electrical Lockouts

Master Lock offers innovative, patented and patent pending devices for the effective lockout of electrical shut-off points, including circuit breakers, and electrical plugs.

Grip Tight[™] Circuit Breaker Lockout

Greatest Hold Strength Combined with Universal Fit

- Secure and simple mounting for a solid lockout. Holds tight with simple thumb turn and clamping handle.
- Exclusive design accommodates virtually all styles of breaker toggles
 - Model 491B fits tall and wide breaker toggles
 - Model 493B fits standard height and tie-bar toggles
- Narrow profile permits side by side breaker lockout

Master Lock


Model #

491B

493B

506

- Compact devices are easy to carry and easy to store
- Both devices accept all American Lock[®] and Master Lock[®] safety padlock shackle and lockout hasp diameters
- Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments
- Patented








Miniature Circuit Breaker Lockouts

Locks Out Most Miniature ISO/DIN Circuit Breakers Found Throughout the World

- S2390 fits standard width toggle openings. Pin out. Black Handle
- S2391 fits wide toggle openings. Pin out. Red Handle
- S2392 fits breakers when pin-in is necessary
- S2393 fits universal breaker toggles
- Works with all Master Lock and American Lock safety padlocks and lockout hasps
- S2390, S2391, S2392 Patented devices

Master Lock Model #	Description
S2390	Fits pin-out breakers 11mm or less
S2391	Fits pin-out breakers 11mm to 13mm
S2392	Fits breakers with pin-in toggles
S2393	Fits universal breaker toggles







Circuit Breaker Switch Padlock

Provides the Flexibility to Effectively Lock Out Breaker Switches

- 3/16" diameter cable shackle allows padlock to properly lock all types of circuit breaker lockout devices
- Flexible cable allows the compact lock body to be positioned so that the control panel door closes properly
- > Fits the tight space constraints within circuit breaker shut-off boxes
- Numerous key changes are available to minimize the possibility of unwanted key duplication

Master Lock Model #	Description
7C5RED	1-1/8" wide steel body; 4-pin cylinder; 5" flexible steel cable. Keyed Different.
7KAC5RED	1-1/8" wide steel body; 4-pin cylinder; 5" flexible steel cable. Keyed Alike.



A<mark>llows Panel</mark>

Door to Close

Rotating Electrical Plug Lockouts

Outward/Inward Rotation Allows for Easier Application & Storage

- Surrounds the electrical plug; protects against accidental reconnection
- Unique, patented rotating design allows for easier installation in confined space applications
- Complete with high-visibility permanent safety labels (English, French & Spanish). Labels can be written-on to identify the responsible person, then erased for the next job.
- Tough, lightweight, dielectric Zenex[™] thermoplastic bodies withstand chemicals; perform effectively in extreme conditions [temperature range -50° F (-46° C) to +350° F (177° C)]

Master Lock Model #	For Electrical Plug Sizes Up To:
487	2-1/4" dia. x 3-1/4" with cord dia. up to 3/4" (Most 110- and many 220-volt plugs)
488	3"dia. x 6" with cord dia. up to 3/4" (Most 220 – 550 volt plugs)

E<mark>xclusive</mark> R<mark>otating Design</mark>



S2005

Compact Plug Prong Lockout

Compact Design Locks Out Smaller Plugs Easily & Effectively

- Locks on the prongs of 110-120 volt plugs
- Fits two prong plugs with and without ground
- Use with your existing lockout padlocks or lockout hasps
- ▶ Includes labels in English, Spanish, and French
- Patented

Master Lock Model #	Description
S2005	Fits 110-120-volt plugs (with or without ground)





S2153

Electrical Covers


Versatile, durable, patented and patent pending designs address need for temporarily prohibiting access to a switch or control or to avoid nuisance changing of rotary switch settings.


Removable Push Button and Rotary Switch Cover

Ideal for new installation or for retrofitting to existing switch panels

- ▶ Fits both 30.5mm and 22.5mm diameter switches
- Clear base and cover allow visibility of nameplates and labels
- Horseshoe-shaped retrofit base allows use with raised nameplates and off-center installation to accommodate rotary switch knobs
- Accommodates buttons up to 2" (50mm) diameter and 1-3/4" (45mm) tall
- Accepts S100 lockout leash to tether removable cover at switch panel
- S2151 includes one cover, one new install base and one retrofit base with double-faced adhesive tape
- S2152AST pack of 12 new install bases allows one S2151 to service multiple switches on same panel
- Patent pending







Installed Push Button and Rotary Switch Cover

Ensures instant availability

- Captured by the rotary or pushbutton switch bezel
- ▶ Fits both 30.5mm and 22.5mm diameter switches
- Clear base and cover allow visibility of nameplates and labels
- Accommodates buttons up to 1-9/16" (40mm) diameter and 1-3/4" (45mm) tall
- Patent pending





Master Lock Model #	Description
S2151	Removable Button and Switch Cover
S2153	Installed Button and Switch Cover
S2152AST	Install Bases for S2151 Removable Cover (12 pack)



Oversized Plug & Hoist Control Cover

Effectively Covers Odd Size and Large Electrical **Connectors and Hoist Controls**

- ► The cinch sack offers broad application solutions
- ▶ Insert PVC tubing (not available through Master Lock) to block access to hoist control buttons
- Flexible & durable rip-stop nylon bag fits easily in safety tool boxes
- Lock out with up to 6 padlocks or hasps

Master Lock Model #	Description	Dimensions
453L	Large Nylon Oversized Plug & Control Cover	7" dia. x 17" tall
453XL	Extra Large Nylon Oversized Plug & Control Cover	10" dia. x 26" tall
453XXL	Extra Extra Large Nylon Oversized Plug & Control Cover	14" dia. x 36" tall





Universal Wall Switch Cover

Locks Out Both Toggle and Decora Paddle Wall Switches

- Patented design assures switch is kept on or off
- ► Hinges open for unobstructed normal operation of switch
- ► Includes English/Spanish and English/French labels







Valve Lockouts

The exclusive, patented Master Lock gate and ball valve lockout devices work in difficult applications like tight spaces and insulated pipes.

Rotating Gate Valve Lockouts

Outward/Inward Rotation Allows for Easier Installation & Storage

- Surrounds the valve operating handle to protect against accidental valve opening
- Multiple workers can apply their lockout hasps or personal safety locks
- ► Tough, lightweight, dielectric Zenex[™] thermoplastic bodies withstand chemicals; perform effectively in extreme conditions [temperature range -50° F to 350°]
- Unique, patented rotating design allows for easier installation in confined space applications
- Complete with high-visibility permanent safety labels (English, French & Spanish) that can be written-on to identify the responsible person, then erased for the next job
- Center knockout can be removed for rising stem gate valves
- Each size rotates into itself and nests within the next larger size to save space in storage

Master Lock Model #	Description	Depth	Stem Opening
480	1" to 3" dia. valve handles	1-1/16"	3/4"
481	2" to 5" dia. valve handles	1-7/16"	1-1/2″
482	4" to 6.5" dia. valve handles	1-7/8"	2-1/2"
483	6" to 10" dia. valve handles	2-1/4"	3-1/2"
484	8" to 13" dia. valve handles	2-5/8"	4″
485	1 set of 480-484		





Pressurized Gas Valve Lockout

Fits Pressurized Gas Valves

- Patented design works with valve guard in place
- Fits virtually all pressurized gas valve handles up to 3" diameter
- Compact size easily stored when not being used
- Accepts any Master Lock® or American Lock® Safety Padlock
- Works with lockout hasps for multiple worker lockout

4			-4
			n.
		5	
	ê	-	e 11

Master Lock Model #	Description	Depth	Stem Opening
S3910	Pressurized Gas Valve Lockout	1″	1-5/8"



Seal Tight[™] Ball Valve Lockout Devices

Effective Lockout for Virtually Any Ball Valve

- ► Easy to use simple, intuitive designs
- Broad application
 - Devices lock out ball valve sizes up to 4"
 - Fit virtually all types of pipe including insulated, PVC and metal
- Lightweight and compact devices are easy to carry, store and apply even in tight, awkward spaces
- Patented



S3068 Seal Tight[™] Handle-On Lockout

Metal device clamps tight on handle stop. Defies corrosive environments and temperatures -70°F to over 350°F.





468L Seal Tight[™] Handle-Off Lockout

Device encloses the valve stem, with the handle removed, to make accidental reactivation virtually impossible.

Operates in temperatures -40° to 250°

Master Lock Model #	Description	For Valve Diameters of:
S3068	Seal Tight Handle-On Ball Valve Lockout 5-3/4" L x 2-1/8" W x 2-1/2" H	1/4" to 4"
468L	Seal Tight [™] Handle-Off Lockout, 11-1/2" H x 12-3/4" W x 2-1/2" D	3/8" to 4"
S1000	Seal Tight Ball Valve Lockout Kit (Set of 1 Each S3068 & 468L)	1/4" to 4"



	THE Solutions That Positively Shut Off Energy								
			ISA PUBLIC MER						
Ball Valve Lockout Option	Odd Orientation	Difficult Handles	Pipe Material & Insulation	Tight Clearances					
S3068	X		X	X					
468L	X	X	X	X					
S1000	X	X	X	X					



Group & Multi-Point Lockouts

Innovative patented cable lockouts and lock boxes offer efficient multipoint and group safety compliance.

Adjustable Cable Lockouts

Infinitely Adjustable for a Secure Fit Every Time

- Integrated safety hasp and cable are ideal for multi-point lockout
- Feed the cable end through the points to be locked out, then back through the lockout body. Cinch it tight to remove any slack with the patented locking feature.
- Tough, flexible multi-stranded steel cable is insulated with a clear plastic coating
- ► Tough, lightweight Zenex[™] thermoplastic body withstands chemicals; performs effectively in extreme conditions [temperature range of -40° F to 200° F
- Master Lock S806 includes a 6' cable. Cable available in 1 ft. increments from 2 ft. to 50 ft.
- Complete with high-visibility, re-usable, write-on safety labels (English, French & Spanish)

Master Lock Model #	Description
3/16" (4mm) Diam	neter Cable
S806	6' Adjustable cable lockout
S806CBL3	3' Adjustable cable lockout
S806CBL15	15' Adjustable cable lockout
S806CBLn	Adjustable cable lockout with user- specified cable length of 2' to 50'



S806

S806CBL15

503RED

Latch Tight[™] Group Lock Boxes

Storage Devices Capture Keys for Effective Lockout of Large Equipment

- Secure each lockout point on a piece of equipment with a single padlock. Place the keys in the group lock box and then each authorized employee places their personal padlock on the lock box.
- When work is complete, employees take their personal padlocks off the lock box, freeing the keys inside. Keys inside cannot be accessed until the last employee removes their padlock.
- ► Feature an exclusive, patented Latch Tight[™] locking mechanism that prevents keys from being accessed until the last padlock or lockout hasp is removed from the box. Provides the highest level of security available in a group lock box.
- Lockout message on box is in three languages English, Spanish, and French
- Durable powder coated finish with stainless steel handle
- ► 503RED and 503YLW can be mounted to wall or carried from job to job
- Available in red or yellow. Accepts 14 padlocks or lockout hasps.
- 498A is a portable solution. Available in red. Accepts 12 padlocks or lockout hasps.
- Each box holds hundreds of keys. 503 also includes organized storage for 12 keys

in back of box.

Master Lock Model #	Description	Dimensions H x L x W
498A	Portable Group Lock Box	6" x 9-1/4" x 3-3/4"
503RED	Dual Application Group Lock Box - Red	12-3/4" x 3-1/2" x 6-3/8"
503YLW	Dual Application Group Lock Box - Yellow	12-3/4" x 3-1/2" x 6-3/8"






Pneumatic Lockout

Prevents Pneumatic Fitting From Being Connected to Pressurized Air Source

- Fits virtually all male pneumatic fittings
- Stainless steel construction for corrosion resistance
- Measures 1-3/8" wide x 7-3/4" tall x 1/8" thick
- Accepts any Master Lock or American Lock Safety Padlock
- Works with lockout hasps for multiple worker lockout



S3900

Steering Wheel Covers

Provides Visual Deterrant During Vehicle Maintenance

- Three sizes available for various diameter steering wheels – 16", 20", 24"
- Trilingual warning notifies employees not to start or move vehicle
- ► Lock in place with a 421 hasp and safety padlock
- For added security, use Safety Series S806 cable lockout around steering wheel and foot pedals



Master Lock Model #	Description
4716	16" Diameter Steering Wheel Cover
4720	20" Diameter Steering Wheel Cover
4724	24" Diameter Steering Wheel Cover

Stainless Steel Pneumatic Lockout



4720

Pneumatic & Wheel Lockouts

Our pneumatic and wheel lockouts offer easy-to-use, innovative ways to lock out virtually any pneumatic fitting or steering wheels.



Lockout Kits

The Master Lock Lockout Kits combine and organize commonly used electrical and valve lockout devices for individuals or groups of workers

CHOOSE THE PADLOCKS FOR YOUR NEEDS.

Master Zenex



identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.



Atuminum Pathocks feeture a duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key number duplication within a facility.

Master Steel Padlocks

Durable, general security padlocks have reinforced laminated steel construction to withstand physical abuse and a 4-pin cylinder offering up to 1,400 key changes.

Custom Assortments of Padlocks & Devices Also Available-See Page 26

Compact Lockout Pouches

Electrical Padlocks and Devices Stored for Convenience

- Compact, convenient design
- Velcro straps on back allow pouch to be easily applied to or removed from a belt
- Straps also serve as breakaway feature in the event the pouch is caught in machinery, protecting the employee

	Master Lock	Model #		
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	Unfilled	Description
S1010E410	S1010E1106	S1010E3	S1010	Electrical Lockout Focus. Contains: 1 – Padlock; 1 – 7C5RED Breaker Switch Padlock; 1 – 420 Hasp; 2 pcs – 493B, 1 pc – 491B Circuit Breaker Lockouts; 1 – 497A Tags (12/pack).



Personal Lockout Pouches

Padlocks and Devices for Individual Workers

- Zippered pouch is easy to carry or wear with adjustable waist strap
- Choice of three padlock styles: Lightweight, designed-for-safety Zenex[™], anodized Aluminum, or durable laminated Steel padlocks
- Two standard assortment kits available, one designed with an electrical lockout focus, the other for general maintenance
- Personal Lockout Pouches are for an individual worker; padlocks are supplied keyed-alike for added worker convenience

Master Lock Model #				
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	Unfilled	Description
1456E410	1456E1106	1456E3	1456	Electrical Lockout Focus. Contains: 1 – Padlock; 1 – 7C5RED Breaker Switch Padlock; 1 – 420 Hasp; 2 pcs – 493B, 1 pc – 491B Circuit Breaker Lockouts; 1 – 497A Tags (12/pack).
1456P410KA	1456P1106KA	1456P3KA		Padlocks & Tags. Contains: 3 – Padlocks Keyed Alike; 1 – 420 Hasp; 1 – 497A Tags (12/pack).



Personal Ultra-Durable Lockout Kits

Electrical, Valve and Combined Lockout/Tagout Toolboxes

- Upgraded safety lockout toolbox keeps important lockout devices and padlocks together
- Kits include high-use components, satisfying most lockout applications
- > Personal kits are for an individual worker; padlocks are supplied keyed-alike for added worker convenience

Master Lock Model #				
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	Unfilled	Description
1457E410KA	1457E1106KA	1457E3KA	S1017*	Electrical Lockout Focus. Contains: 3 – Padlocks; 1 – 7C5RED Circuit Breaker Padlock; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 2 pc – 491B, 3 pc – 493B Circuit Breaker Lockouts; 1 pc – 496B Wall Switch Cover; 1 – 497A Tags (12/pack).
1457V410KA	1457V1106KA	1457V3KA		Valve Lockout Focus. Contains: 3 Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 1 – 497A Tags (12/pack).
1457VE410KA	1457VE1106KA	1457VE3KA		Electrical & Valve Lockout Focus. Contains: 3 - Padlocks; 1 - 7C5RED Circuit Breaker Padlock; $1 - 420 Hasp; 1 - 427 Snap-On Hasp; 1 - S806 Adjustable Cable Lockout; 1 - 480, 1 - 481 & 1 - 482 Gate Valve Covers; 1 - 468L & 1 - S3068 Ball Valve Lockouts; 2 pc - 491B, 3 pc - 493B Circuit Breaker Lockouts;1 pc - 496B$ Wall Switch Cover; 1 - 497A Tags (12/pack).

1457E410KA venience 1457VE3KA

*Unfilled toolboxes also available in 20" (\$1020) and 23" (\$1023)

Group Lockout Kits

Modular Lockout/Tagout Organisers

- Lightweight safety lockout carrying case, 15"W x 9-1/2"T x 7"D, with modular, translucent storage compartments for improved organization and fast component selection
- Kits include high-use components, satisfying most applications
- Separate compartments for effective grouping of (1) padlocks & hasps, (2) valve lockout & (3) electrical lockout components
- Group kits are for multiple workers; padlocks are supplied keyeddifferent, so that no unwanted key interchange occurs
- PLUS, a no-charge Safety Lockout Padlock Key Charting System is available to you. Simply return the enclosed mail-in card after your purchase. Master Lock will supply a Registered System number, maintain a record of the padlock key cuts provided with your station and ensure that there is no unwanted padlock key cut duplication on your future orders* – this is critical for Safety Lockout!

	Master Lock M	odel #		
ORED Zenex™ hermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	Unfilled	Description
1458E410	1458E1106	1458E3		Electrical Lockout Focus. Contains: 6 – Padlocks; 2 – 7C5RED Breaker Switch Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 487 & 1 – 488 Plug Covers; 4 pcs – 493B, 2 pcs – 491B Circuit Breaker Lockouts; 2 pcs – 496B Wall Switch Covers; 2 – 497A Tags (12/pack).
1458V410	1458V1106	1458V3	1458	Valve Lockout Focus. Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481, 1 – 482 & 1 – 483 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12/pack).
1458VE410	1458VE1106	1458VE3		Electrical & Valve Lockout Focus. Contains: 6 - Padlocks; 2 - 7C5RED Breaker Switch Padlocks; 1 - 420 Hasp; 1 - 427 Snap-On Hasp; 1 - S806 Adjustable Cable Lockout; 1 - 487 & 1 - 488 Plug Covers; 1 - 480, 1 - 481 & 1 - 482 Gate Valve Covers; 6 - 493B, 3 pcs - 491B Circuit Breaker Lockouts; 2 - 496B Wall Switch Covers; 1 - 468L & 1 - S3068 Ball Valve Lockouts; 2 - 497A Tags (12/pack); .



* Provided that your Registered System Number is included on all future orders.



Padlock Stations

These durable, userfriendly lockout stations provide a central location for lockout padlocks, tags and hasps.

CHOOSE THE PADLOCKS FOR YOUR NEEDS.

Master Zenex **Thermoplastic Padlocks**

Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over

100,000 possible key changes. LOCK Anodized

Aluminum Padlocks Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to

minimize risk of key number duplication within a facility.

Master Steel Padlocks

Durable, general security padlocks have reinforced laminated steel construction to withstand physical abuse and a 4-pin cylinder offering up to 1,400 key changes.

Custom Assortments of Padlocks & Devices Also Available-See Page 26

Padlock Stations Virtually Indestructible, the Strongest Stations Available

- Integrated, one-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruple the impact strength of typical stations
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Exclusive translucent cover protects contents
 - Lockable to prevent loss of valuable safety lockout padlocks. Recommend using a combination lock for simple access control.
 - Innovative hinge holds cover open for easy product selection
- Available with your choice of Zenex[™] Thermoplastic, Aluminum or Steel padlocks in 4, 10 or 20 lock formats
- Safety Hasps and Tags included
- PLUS, a no-charge Safety Lockout Padlock Key Charting System is available to you. Simply return the enclosed mail-in card after your purchase. Master Lock will supply a Registered System number, maintain a record of the padlock key cuts provided with your station and ensure that there is no unwanted padlock key cut duplication on your future orders – this is critical for Safety Lockout!



1483BP3ES

	Master Lock I	Model #			
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	Base and Cover (Unfilled)	Description	Size (H x W x D)
1482BP410	1482BP1106	1482BP3	1482B	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497A Tags (12/pk)	12-1/4 x 16 x 1-3/4
1483BP410	1483BP1106	1483BP3	1483B	10-Lock Station. Contains 10 – Padlocks; 2– 420 Hasps; 2 – 497A Tags (12/pk)	15-1/2 x 22 x 1-3/4
1484BP410	1484BP1106	1484BP3	1484B	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497A Tags (12/pk)	22 x 22 x 1-3/4
English/Spanis	h Stations				
1482BP410ES	1482BP1106ES	1482BP3ES	1482BES	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497AX Tags (12/pk).	12-1⁄4 x 16 x 1-3⁄4
1483BP410ES	1483BP1106ES	1483BP3ES	1483BES	10-Lock Station. Contains 10 – Padlocks; 2– 420 Hasps; 2 – 497AX Tags (12/pk)	15-1⁄2 x 22 x 1-3⁄4
1484BP410ES	1484BP1106ES	1484BP3ES	1484BES	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497AX Tags (12/pk).	22 x 22 x 1-3⁄4
English/French	Stations				
1482BP410FRC	1482BP1106FRC	1482BP3FRC	1482BFRC	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497ABLC Tags (12/pk).	12-1⁄4 x 16 x 1-3⁄4
1483BP410FRC	1483BP1106FRC	1483BP3FRC	1483BFRC	10-Lock Station. Contains 10 – Padlocks; 2– 420 Hasps; 2 – 497ABLC Tags (12/pk)	15-1⁄2 x 22 x 1-3⁄4
1484BP410FRC	1484BP1106FRC	1484BP3FRC	1484BFRC	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497ABLC Tags (12/pk).	22 x 22 x 1-3⁄4



1482BP410



Thermoplastic Padlock(s)	Aluminum Padlock(s)	3RED Steel Padlock(s)	Cover (Unfilled)	Description	Size (H x W x I
1482BP410	1482BP1106	1482BP3	1482B	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497A Tags (12/pk)	12-1/4 x 16 x 1
1483BP410	1483BP1106	1483BP3	1483B	10-Lock Station. Contains 10 – Padlocks; 2– 420 Hasps; 2 – 497A Tags (12/pk)	15-1/2 x 22 x ⁻
1484BP410	1484BP1106	1484BP3	1484B	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497A Tags (12/pk)	22 x 22 x 1-3
English/Spanis	h Stations				
1482BP410ES	1482BP1106ES	1482BP3ES	1482BES	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497AX Tags (12/pk).	12-1⁄4 x 16 1-3⁄4
1483BP410ES	1483BP1106ES	1483BP3ES	1483BES	10-Lock Station. Contains 10 – Padlocks; 2– 420 Hasps; 2 – 497AX Tags (12/pk)	15-1⁄2 x 22 1-3⁄4
1484BP410ES	1484BP1106ES	1484BP3ES	1484BES	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497AX Tags (12/pk).	22 x 22 x 1-
English/French	Stations				
1482BP410FRC	1482BP1106FRC	1482BP3FRC	1482BFRC	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497ABLC Tags (12/pk).	12-1⁄4 x 16 1-3⁄4
1483BP410FRC	1483BP1106FRC	1483BP3FRC	1483BFRC	10-Lock Station. Contains 10 – Padlocks; 2– 420 Hasps; 2 – 497ABLC Tags (12/pk)	15-1⁄2 x 22 1-3⁄4
1484BP410FRC	1484BP1106FRC	1484BP3FRC	1484BFRC	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497ABLC Tags (12/pk).	22 x 22 x 1-



Compact Stations

Our padlock racks and lockout stations are ideal for positioning machinespecific lockout devices, tags and padlocks near the lockout point.

Heavy-Duty Padlock Racks

- ► Heavy gauge steel with durable powder coat finish ensure long life
- Includes labels in English, Spanish/English, and French/English

Master Lock Model #	Description
S1506	6.25" wide x 3" tall x 1.5" deep. Holds 6-8 padlocks.
S1518	17.5" wide x 3" tall x 1.5" deep. Holds 18-22 padlocks.



S1506

S1745E410





Compact Lockout Stations

Compact Lockout Station Holds Machine Specific Lockout Devices and Padlocks Near Lockout Point

- > Durable construction for years of use in corrosive environments
- ▶ 4 hanger clips for safety padlocks or hasps
- ► Includes face labels in English, Spanish/English or French/English
- Available filled or unfilled
- ► Filled centers available with your choice of Zenex[™] Thermoplastic, Aluminum or Steel Safety Padlocks
- Measures 9-3/4" tall x 7-3/4" wide x 3-3/8" deep
- ▶ Bin measures 6-1/2" wide x 2-7/8" tall x 2-7/8" deep

	Master Lock I	Model #		
410RED Zenex [™] Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	3 Red Steel Padlock(s)	(Unfilled)	Description
S1705P410	S1705P1106	S1705P3	S1700	Contains: 1 – padlock, 1 – 421 hasp and 2 – tags
S1720E410	S1720E1106	S1720E3	S1700	Contains: 2 – padlocks, 4 – tags, 2 – 491B and 2 – 493B circuit breaker lockouts
S1745E410	S1745E1106	S1745E3	S1700	Contains: $1 - padlock$, $1 - 488$ plug lockout, and $1 - tag$





S1850V3

Lockout Stations

These durable, userfriendly wall stations offer the ultimate storage space for large facilites or multiple departmental use.

CHOOSE THE PADLOCKS FOR YOUR NEEDS.

Master Zenex

Thermoplastic Padlocks

Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.

AMERICAN LOCK Anodized

Aluminum Padlocks Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key number duplication within a facility.

Master, Steel Padlocks

have reinforced laminated steel construction to withstand physical abuse and a 4-pin cylinder offering up to 1,400 key changes.

Custom Assortments of Padlocks & Devices Also Available-See Page 26

Deluxe Lockout Station

Large Capacity Lockout Station Holds Departmental Lockout Needs

- ► Durable construction ensures long life in your facility ► Lower unit has two tip-out drawers. Each measures
- Upper and lower sections lockable to ensure devices are there when needed for lockout. Add a combination lock for simple access control.
- > 16 hanger clips hold 2 padlocks or lockout hasps each
- Covered compartments protect devices and keep dust and grime out
- Moveable dividers in top and bottom trays help organize devices
- Holes provided along bottom for optional peg hook hangers. Use to hang large, bulky devices.
- Available filled or unfilled
- Upper unit ideal for larger lockout devices and padlocks. Lower unit ideal for tags and smaller lockout devices.

- Lower unit has two tip-out drawers. Each measures 10" wide x 6-7/8" high x 3-1/4" deep.
 - Dividers included to create 2, 3, 4, 5 or 6 compartments
- Each compartment holds 25 tags. Total capacity of lower unit is 150 tags.
- Measures 26-1/2" high x 22" wide x 4-1/8" deep
- PLUS, a no-charge Safety Lockout Padlock Key Charting System is available to you. Simply return the enclosed mail-in card after your purchase. Master Lock will supply a Registered System number, maintain a record of the padlock key cuts provided with your station and ensure that there is no unwanted padlock key cut duplication on your future orders* – this is critical for Safety Lockout!

Master Lock Model #				
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	(Unfilled)	Description
S1900VE410	S1900VE1106	S1900VE3	S1900	Contains: 6 – Padlocks; 2 – 420 Hasps; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481, 1 – 482 & 1 – 483 Gate Valve Lockouts; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 1 – S2005 Compact Plug Prong Lockout; 1 – 488 Plug Cover; 2 – 491B, 6 – 493B Circuit Breaker Lockouts; 2 pcs – 496B Wall Switch Covers; 2 – 497A Tags (12/pack). Space for additional padlocks or lockout devices as desired.
Bilingual Station	IS			
S1900VE410ES	S1900VE1106ES	S1900VE3ES	S1900ES	English/Spanish Sation: Standard VE Assortment; 2 – 497AX English/Spanish Tags replace 497A's
S1900VE410FRC	S1900VE1106FRC	S1900VE3FR	S1900FRC	English/French Station: Standard VE Assortment; 2 – 497ABLC English/French Tags replace 497A's




Lockout Station

Lockout Station Holds Locks, Hasps and Devices

- Durable construction for years of use in corrosive environments
- Top and bottom compartments each have 5 moveable dividers for organizing devices
- ▶ 8 Hanger clips hold 2 padlocks or lockout hasps each
- Holes provided inside and along bottom for optional peghook hanger clips. Allows you to organize further. Large devices can be hung below.
- Cover protects padlocks and devices from dust and grime
- Lockable. Use combination padlock to limit access to authorized employees.

- Measures 15-1/2" high x 22" wide x 4-1/8" deep
- Available with Electrical or Valve Lockout Focus. Includes most commonly required lockout devices.
- Available filled or unfilled.
- PLUS, a no-charge Safety Lockout Padlock Key Charting System is available to you. Simply return the enclosed mail-in card after your purchase. Master Lock will supply a Registered System number, maintain a record of the padlock key cuts provided with your station and ensure that there is no unwanted padlock key cut duplication on your future orders* – this is critical for Safety Lockout!

Master Lock Model #				
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	(Unfilled)	Description
S1850E410	S1850E1106	S1850E3	S1850	Electrical Lockout Focus. Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S2005 Compact Plug Prong Lockout; 1 – 488 Plug Cover; 2 – 491B, 4 – 493B Circuit Breaker Lockouts; 2 – 496B Wall Switch Covers; 2 – 497A Tags (12/pack).
S1850V410	S1850V1106	S1850V3		Valve Lockout Focus. Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Lockouts; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12/pack).
Bilingual Statio	ns			
S1850E410ES	S1850E1106ES	S1850E3ES	S1850ES	English/Spanish Station; S1850 Electrical Assortment – English/Spanish 497AX Tags replace 497A's
S1850V410ES	S1850V1106ES	S1850V3ES	3100UE3	English/Spanish Station; S1850 Valve Assortment – English/Spanish 497AX Tags replace 497A's
S1850E410FRC	S1850E1106FRC	S1850E3FRC	S1850FRC	English/French Station; S1850 Electrical Assortment – English/French 497ABLC Tags replace 497A's
S1850V410FRC	S1850V1106FRC	S1850V3FRC	STOJUFNU	English/French Station; S1850 Valve Assortment – English/French 497ABLC Tags replace 497A's







S1850E410ES

Deluxe Tag Center

Deluxe Tag/Lockout Center Holds Multiple Groups of Tags

- > Durable construction for years of use in corrosive environments
- ▶ Two tip-out drawers with dividers to create 2, 3, 4, 5 or 6 compartments
- ▶ 8 hanger clips along bottom hold safety padlocks or hasps
- Each compartment holds 25 tags. 150 tag capacity
- Compartments can be used for lockout devices too
- ► Each tip-out drawer measures 10" wide x 6-7/8" tall x 3-1/4" deep inside
- Upper tray for zip ties and small lockout devices
- Lockable. Use combination padlock to limit access to authorized employees
- Also suitable for ear plugs and eyewear



Master Lock Model #	Description	Dimensions (H x W x D)
S1800	Tag Center (unfilled)	11" x 22" x 4-1/8"



Custom Lockout Kits and Stations

Select your own unique assortment of safety padlocks, lockout devices, tags, and the kit or station that meets your needs.

Custom Lockout Kits and Stations

Tailor the mix of Safety Series[™] lockout products for your safety requirements You can determine the mix of Safety Series lockout products for your unique safety requirements in 2 Easy Steps! Master Lock then packs each kit or station at no additional upcharge.

Choose any assortment of Safety Series padlocks, lockout devices, and tags to satisfy specific employee needs



ALL padlock models and lockout devices are available!

2. Choose any portable lockout kit or wall-mount station to store your newly selected assortment.



- Custom kits and stations are priced at the total of all components padlocks, devices, tags, and the kit.
- Customers, please contact your preferred Master Lock Safety Series Distributor to specify the contents of your kits. Distributors, contact Master Lock Safety Specialists at 800-944-1380 to process the order.



Minimums apply.







Compliance Centers & Training

Our Compliance Centers offer zippered storage that keeps important papers in while keeping dust and dirt out.

Compliance Centers

Zippered Binder Keeps Important Papers Organized While Keeping Dirt and Grime Out

- Use for MSDS, Lockout Procedures, Right-To-Know, ISO procedures and many others
- Front window allows you to customize to your needs. Includes MSDS, Lockout Procedures, Right-To-Know in English, Spanish/English, and French/English
- Available with or without Wall Mounting Bracket
- Can be used with existing wire baskets
- Can be placed on book shelves
- Wall Mounting Bracket includes labels for MSDS, Lockout Procedures, Right-To-Know in English, Spanish/English, and French/English
- Patent Pending

HT-TO-KNOW

Master Lock Model #	Description
S300	One wall bracket/sign
S315	One 1.5" binder with wall bracket/sign
S316	One 1.5" binder (no wall bracket/sign)
S317	Two 1.5" binders with one wall bracket/sign
S330	One 3" binder with wall bracket/sign
S331	One 3" binder (no wall bracket/sign)



Lockout / Tagout Procedure Training Cards

For Employee Safety and OSHA Compliance

L'INFORMATION

- Demonstrates the 7 steps to properly apply, and 5 steps to re-energize from, Lockout/Tagout
- Provides instructions for maintaining Lockout/Tagout during shift changes
- Also suitable for employee-refresher training sessions

Master Lock Model #	Description
499PR	10 Lockout/Tagout Procedure Employee Reference Cards





Guardian Extreme[™] Safety Signs & Tags

Make sure your safety message is clearly visible for years and years with Guardian Extreme signs and tags



Guardian Extreme Safety Signs & Tags

Our process permanently fuses the safety message into rugged, industrial grade polypropylene, creating the longest lasting signs and tags available. These graphics remain vibrant and clear for years – even when exposed to high humidity, UV radiation, harsh chemicals, frequent wash downs, extreme high and low temperatures and more.

Environmentally Friendly is Business Friendly

Guardian Extreme lifetime tags and signs withstand tough environments and abuse eliminating the cost of replacement.

Rewrite-Reuse

Modify the message as often as needed

Guardian Extreme signs and tags provide the ultimate flexibility. You add the exact safety message for the job with permanent marker, erase it when the work is complete and repurpose it for the next job.

Cleaned tag ready for next

message - write new message

with permanent marker



Wipe off current message with Isopropyl Alcohol

Reduce


Durable

- Guardian Extreme tags hang tough to exceed OSHA requirement that tags meet 50 lbs pull strength.
- Guardian Extreme tags withstand over 90 lbs pull force.
- Other paper or plastic tags, with grommets or without – only reach 10 – 50 lbs pull strength.



Recycle

If your message changes and you decide to retire a sign or tag, you are assured that every Guardian Extreme sign and tag is 100% recyclable.





A brand new message is ready for the next project

More tags in less space

 Guardian Extreme tags stack flat in kits and stations, remaining neat and organized when stored.



Corrosion free

Guardian Extreme tags have no grommet to corrode.







Guardian. The longest lasting signs and tags – ever!



Survive Washdowns and Humidity

Graphics are fused to the rugged polypropylene at over 300 degrees. There are no edges to peal or curl. No layers to delaminate and separate. Your safety message remains intact...Ideal for food processing facilities, mining, chemical plants, refineries, paper mills and outdoors. Great for anyone who would like your maintenance team spending their time doing something other than replacing signs throughout your facility and grounds.



Superior Outdoor Performance

The graphics remain bright and clear. Guardian Extreme signs and tags withstood over 4000 hrs of brutal QUV testing, the equivalent to ten years of outdoor exposure. When other signs and tags faded, cracked and yellowed, Guardian Extreme signs and tags stood strong



Acetone Aliphatic solvents Ammonia Anionic surfactants 2-Butoxyethanol Benzene Benzyl ammonium chloride Butanol Chlorinated alkaline cleaners Chlorine bleach Cryogenic liquids Dimethyl benzyl ammonium chloride

Superior Chemical Resistance

Tested and proven to stand up to over 30 harsh chemicals found in your facility.

Ethylene oxide Formaldehyde Glycol Glycol ether solvents Hydrochloric acid Isopropanol Ketone Methanol Methyl polysilicone Mineral oil Napththa Phosphoric acid Potassium hydroxide

Faded Screen-Printed Plastic

You have better things to do than replace worn out signs and tags

An illegible safety message is hardly better than no message at all.



Cracked Fiberglass

Delaminated Metal

Master Lock Guardian Extreme Tags and Signs help to ensure that you:

- Keep employees safe
- Maintain OSHA compliant signage and procedures throughout your facility
- Minimize maintenance crews' efforts and maximize production up time
- Optimize your budget and time

Guardian Extreme Signs and Tags help keep you focused on these responsibilities. These safety signs and tags are engineered to withstand the most demanding conditions – indoors or out, while lasting a lifetime.





Vivid, Fade-Resistant Colors

Guardian Custom Signs & Tags

Long lasting Guardian Extreme[™] tags and signs can be customized to enhance your safety message. Our patent pending process allows you to add full color graphics, photos, custom text, alternate languages, diagrams, maps, company logos and more. If you can design it, we can imbed the graphics into the sign or tag when we mold it.

For preconfigured and blank templates, visit **www.safetyseries.com.au.** You will also find guidance on designing your custom tags and signs and how to order them.

- Full Color Photography
- Custom Graphics
- Maps and Diagrams

- Photo ID labels
- Custom Text. In any language.
- Company Logos

Custom Graphics

Exclusively with Guardian Extreme[™] signs and tags – no limits to your custom graphics. We can use any image you can create, any graphic, color photo, drawing, text, language, map, barcodes, and fuse it in durable polypropylene.



Custom Text. In any language.

Photo ID

Company Logos



CAUTION S5000 (7 X 10) S5001 (10 X 14) S5002 (14 X 20)	CAUTION AREA IN FRONT OF THIS RLECTRICAL PANEL MUST BE SOSHA-NEC REGULATIONS SOSTA (10 X 10) S5051 (10 X 14) S5052 (14 X 20)	CAUTION BATTERY CHARGING AREA S5250 (7 X 10) S5251 (10 X 14) S5252 (14 X 20)	CAUTION CHEMICAL STORAGE AREA S5400 (7 X 10) S5401 (10 X 14) S5402 (14 X 20)	CORROSIVE MATERIALS WEAR REQUIRED PROTECTION S5500 (7 X 10) S5501 (10 X 14) S5502 (14 X 20)
CAUTION DO NOT ENTER S5550 (7 X 10) S5551 (10 X 14) S5552 (14 X 20)	CAUTION DO NOT ENTER WITHOUT SAFETY GLASSES S5750 (7 X 10) S5751 (10 X 14) S5752 (14 X 20)	CAUTION DO NOT OPERATE MACHINERY WITHOUT GUARDS 55800 (7 X 10) \$5801 (10 X 14) \$5802 (14 X 20)	CAUTION DO NOT OPERATE WITHOUT GUARDS 55850 (7 X 10) \$5851 (10 X 14) \$5852 (14 X 20)	CAUTION DO NOT OPERATE WITHOUT GUARDS IN PLACE S5900 (7 X 10) S5901 (10 X 14) S5902 (14 X 20)
CAUTION EAR PROTECTION REQUIRED IN THIS AREA S6150 (7 X 10) S6151 (10 X 14) S6152 (14 X 20)	CAUTION EYE AND EAR PROTECTION REQUIRED IN THIS AREA S6300 (7 X 10) S6301 (10 X 14) S6302 (14 X 20)	CAUTION EYE PROTECTION REQUIRED S6350 (7 X 10) S6351 (10 X 14) S6352 (14 X 20)	CAUTION EYE PROTECTION REQUIRED IN THIS AREA S6450 (7 X 10) S6451 (10 X 14) S6452 (14 X 20)	FACE SHIELD AREA S6500 (7 X 10) S6501 (10 X 14) S6502 (14 X 20)
CAUTION FIRE DOOR KEEP CLOSED S6550 (7 X 10) S6551 (10 X 14) S6552 (14 X 20)	CAUTION FLOOR LOAD NOT TO EXCEED LBS./SQ. FT. S6700 (7 X 10) S6701 (10 X 14) S6702 (14 X 20)	CAUTION FORKLIFT TRAFFIC KEEP CLEAR S6900 (7 X 10) S6901 (10 X 14) S6902 (14 X 20)	CAUTION GLOVES REQUIRED 56950 (7 X 10) S6951 (10 X 14) S6952 (14 X 20)	CAUTION HARD HAT AREA 57000 (7 X 10) \$7001 (10 X 14) \$7002 (14 X 20)
CAUTION HARD HATS REQUIRED 57100 (7 X 10) 57101 (10 X 14) 57102 (14 X 20)	AUTHORIZED PERSONNEL ONLY S7150 (7 X 10) S7151 (10 X 14) S7152 (14 X 20)	CAUTION HAZARDOUS MATERIAL STORAGE AREA S7200 (7 X 10) S7201 (10 X 14) S7202 (14 X 20)	CAUTION HAZARDOUS WASTE STORAGE AREA UNAUTHORIZED PERSONS KEEP OUT S7400 (7 X 10) S7401 (10 X 14) S7402 (14 X 20)	CAUTION HEARING PROTECTION MUST BE WORN IN THIS AREA S7450 (7 X 10) S7451 (10 X 14) S7452 (14 X 20)

Guardian Extreme Caution Signs

CAUTION HEARING PROTECTION REQUIRED	CAUTION HEARING PROTECTION REQUIRED IN THIS AREA S7550 (7 X 10) S7551 (10 X 14) S7552 (14 X 20)	CAUTION HOT \$7650 (7 X 10) \$7651 (10 X 14) \$7652 (14 X 20)	CAUTION KEEP AISLES CLEAR S7700 (7 X 10) S7701 (10 X 14) S7702 (14 X 20)	CAUTION LEAD HAZARD DO NOT ENTER UNLESS AUTHORIZED S7950 (7 X 10) S7951 (10 X 14) S7952 (14 X 20)
CAUTION LOCKOUT FOR SAFETY S8050 (7 X 10) S8051 (10 X 14) S8052 (14 X 20)	CAUTION LOCKOUT FOR SAFETY BEFORE YOU START S8100 (7 X 10) S8101 (10 X 14) S8102 (14 X 20)	CAUTION LOW HEADROOM \$8300 (7 X 10) \$8301 (10 X 14) \$8302 (14 X 20)	CAUTION LOW OVERHEAD CLEARANCE S8350 (7 X 10) S8351 (10 X 14) S8352 (14 X 20)	CAUTION NO SMOKING SB600 (7 X 10) S8601 (10 X 14) S8602 (14 X 20)
CAUTION NO SMOKING BEYOND THIS POINT S8700 (7 X 10) S8701 (10 X 14) S8702 (14 X 20)	CAUTION OPEN DOOR SLOWLY S8750 (7 X 10) S8751 (10 X 14) S8752 (14 X 20)	CAUTION OVERHEAD WORK S8800 (7 X 10) S8801 (10 X 14) S8802 (14 X 20)	CAUTION PROTECTIVE CLOTHING REQUIRED IN THIS AREA S8900 (7 X 10) S8901 (10 X 14) S8902 (14 X 20)	CAUTION RADIATION AREA \$8950 (7 X 10) \$8951 (10 X 14) \$8952 (14 X 20)
CAUTION RADIOACTIVE MATERIALS S9100 (7 X 10) S9101 (10 X 14) S9102 (14 X 20)	CAUTION RESPIRATORS MUST BE WORN IN THIS AREA S9200 (7 X 10) S9201 (10 X 14) S9202 (14 X 20)	CAUTION SLIPPERY FLOOR \$9350 (7 X 10) \$9351 (10 X 14) \$9352 (14 X 20)	CAUTION SLIPPERY WHEN WET \$9400 (7 X 10) \$9401 (10 X 14) \$9402 (14 X 20)	CAUTION STAY CLEAR S9450 (7 X 10) S9451 (10 X 14) S9452 (14 X 20)
CAUTION THIS MACHINE MUST BE LOCKED OUT PRIOR TO SERVICING \$9500 (7 X 10) \$9501 (10 X 14) \$9502 (14 X 20)	CAUTION THIS MACHINE STARTS AUTOMATICALLY \$9550 (7 X 10) \$9551 (10 X 14) \$9552 (14 X 20)	CAUTION THIS SPACE MUST BE KEPT CLEAR AT ALL TIMES S9600 (7 X 10) S9601 (10 X 14) S9602 (14 X 20)	CAUTION WATCH FOR LIFT TRUCKS \$9650 (7 X 10) \$9651 (10 X 14) \$9652 (14 X 20)	CAUTION WATCH YOUR STEP \$9800 (7 X 10) \$9801 (10 X 14) \$9802 (14 X 20)

National Customer Service: 1300 360 211

Master SAFETY SERIES LOCK

CAUTION WEAR SAFETY SHOES IN THIS AREA	CAUTION WET PAINT S9900 (7 X 10)	CAUTION WHEELS MUST BE CHOCKED BEFORE LOADING OR UNLOADING		
S9851 (10 X 14) S9852 (14 X 20)	S9901 (10 X 14) S9902 (14 X 20)	\$9951 (10 X 14) \$9952 (14 X 20)		
0 ° In 0	480 VOLTS	ACID	AUTHORIZED PERSONNEL ONLY	CHEMICAL STORAGE
S10000 (7 X 10) S10001 (10 X 14) S10002 (14 X 20)	S10050 (7 X 10) S10051 (10 X 14) S10052 (14 X 20)	S10150 (7 X 10) S10151 (10 X 14) S10152 (14 X 20)	S10300 (7 X 10) S10301 (10 X 14) S10302 (14 X 20)	S10550 (7 X 10) S10551 (10 X 14) S10552 (14 X 20)
COMBUSTIBLE LIQUIDS S10800 (7 X 10) S10801 (10 X 14) S10802 (14 X 20)	CONFINED SPACE S10950 (7 X 10) S10951 (10 X 14) S10952 (14 X 20)	CONFINED SPACE AUTHORIZED PERSONNEL ONLY S11000 (7 X 10) S11001 (10 X 14) S11002 (14 X 20)	CONFINED SPACE ENTER BY PERMIT ONLY S11100 (7 X 10) S11101 (10 X 14) S11102 (14 X 20)	<image/> <section-header></section-header>
DANGER	DANGER	DANGER	DANGER	S11251 (10 X 14) S11252 (14 X 20)
CONFINED SPACE HAZARDOUS ATMOSPHERE. CHECK OXYGEN LEVEL BEFORE AND DURING ENTRY. S11350 (7 X 10)	CONFINED SPACE KEEP OUT	CONSTRUCTION AREA 511550 (7 X 10)	CONSTRUCTION AREA AUTHORIZED PERSONNEL ONLY S11700 (7 X 10)	CORROSIVE
S11351 (10 X 14) S11352 (14 X 20)	S11451 (10 X 14) S11452 (14 X 20)	S11551 (10 X 14) S11552 (14 X 20)	S11701 (10 X 14) S11702 (14 X 20)	S11901 (10 X 14) S11902 (14 X 20)
DANGER DIESEL FUEL	DIESEL NO SMOKING	DANGER DO NOT ENTER	DO NOT ENTER AUTHORIZED PERSONNEL ONLY	DANGER DO NOT OPERATE THIS MACHINE UNLESS AUTHORIZED
S12300 (7 X 10) S12301 (10 X 14) S12302 (14 X 20)	S12350 (7 X 10) S12351 (10 X 14) S12352 (14 X 20)	S12400 (7 X 10) S12401 (10 X 14) S12402 (14 X 20)	S12600 (7 X 10) S12601 (10 X 14) S12602 (14 X 20)	S12850 (7 X 10) S12851 (10 X 14) S12852 (14 X 20)

Guardian Extreme Danger Signs

DANGER DO NOT OPERATE WITHOUT SAFETY GLASSES S12900 (7 X 10)	DANGER DO NOT WATCH THE ARC S12950 (7 X 10)	CURRENT KEEP AWAY	CANGER ELECTRICAL EQUIPMENT. AUTHORIZED PERSONNEL ONLY. S13300 (7 X 10)	OANGER EYE AND EAR PROTECTION REQUIRED IN THIS AREA • • • • • • • • • • • • • • • • S13650 (7 X 10)
\$12901 (10 X 14)	S12951 (10 X 14)	S13201 (10 X 14)	\$13301 (10 X 14)	S13651 (10 X 14)
\$12902 (14 X 20)	S12952 (14 X 20)	S13202 (14 X 20)	\$13302 (14 X 20)	S13652 (14 X 20)
EYE PROTECTION REQUIRED IN THIS AREA	FALLING MATERIAL	DANGER FLAMMABLE	CANGER FLAMMABLE GAS	FLAMMABLE LIQUIDS
S13900 (7 X 10)	S14000 (7 X 10)	S14100 (7 X 10)	S14200 (7 X 10)	S14250 (7 X 10)
S13901 (10 X 14)	S14001 (10 X 14)	S14101 (10 X 14)	S14201 (10 X 14)	S14251 (10 X 14)
S13902 (14 X 20)	S14002 (14 X 20)	S14102 (14 X 20)	S14202 (14 X 20)	S14252 (14 X 20)
FLAMMABLE MATERIALS	CANGER FLAMMABLE MATERIALS NO SMOKING OR OPEN FLAME	CONTINUE FOLLOW CONFINED SPACE ENTRY PROCEDURE BEFORE ENTERING	CANGER GASOLINE	HARD HAT AREA
S14300 (7 X 10)	S14350 (7 X 10)	S14450 (7 X 10)	S14500 (7 X 10)	S14600 (7 X 10)
S14301 (10 X 14)	S14351 (10 X 14)	S14451 (10 X 14)	S14501 (10 X 14)	S14601 (10 X 14)
S14302 (14 X 20)	S14352 (14 X 20)	S14452 (14 X 20)	S14502 (14 X 20)	S14602 (14 X 20)
HAZARDOUS CHEMICALS	HIGH VOLTAGE	HIGH VOLTAGE ABOVE	HIGH VOLTAGE INSIDE	HIGH VOLTAGE KEEP OUT
S14900 (7 X 10)	S15100 (7 X 10)	S15250 (7 X 10)	S15350 (7 X 10)	S15400 (7 X 10)
S14901 (10 X 14)	S15101 (10 X 14)	S15251 (10 X 14)	S15351 (10 X 14)	S15401 (10 X 14)
S14902 (14 X 20)	S15102 (14 X 20)	S15252 (14 X 20)	S15352 (14 X 20)	S15402 (14 X 20)
DANGER HOT	KEEP FINGERS CLEAR OF MACHINE WHILE IN MOTION	CANGER KEEP OUT		C C C C C C C C C C C C C C C C C C C
S15500 (7 X 10)	S15800 (7 X 10)	S16000 (7 X 10)	S16150 (7 X 10)	S16250 (7 X 10)
S15501 (10 X 14)	S15801 (10 X 14)	S16001 (10 X 14)	S16151 (10 X 14)	S16251 (10 X 14)
S15502 (14 X 20)	S15802 (14 X 20)	S16002 (14 X 20)	S16152 (14 X 20)	S16252 (14 X 20)

Master SAFETY SERIES LOCK

COLORNOL COL	COCK OUT FOR LIFT TRUCKS S16650 (7 X 10) S16651 (10 X 14) S16652 (14 X 20)	CANGER MEN WORKING ABOVE S16800 (7 X 10) S16801 (10 X 14) S16802 (14 X 20)	CANGER CANGER MOVING MACHINERY S17050 (7 X 10) S17051 (10 X 14) S17052 (14 X 20)	CANGER NO SMOKING SMOKING S17350 (7 X 10) S17351 (10 X 14) S17352 (14 X 20)
OANGER NO SMOKING BEYOND THIS POINT S17500 (7 X 10) S17501 (10 X 14) S17502 (14 X 20)	DANGER NO SMOKING IN THIS AREA S17550 (7 X 10) S17551 (10 X 14) S17552 (14 X 20)	OANGER NO SMOKING NO OPEN FLAMES NO SPARKS S17600 (7 X 10) S17601 (10 X 14) S17602 (14 X 20)	Omega Omega NO SMOKING, MATCHES OR OPEN FLAMES Omega \$17800 (7 X 10) \$17801 (10 X 14) \$17802 (14 X 20) \$17802 (14 X 20)	OANGER NO SMOKING, MATCHES OR OPEN LIGHTS S17850 (7 X 10) S17851 (10 X 14) S17852 (14 X 20)
CANGER NO TRESPASSING S17900 (7 X 10) S17901 (10 X 14) S17902 (14 X 20)	CANGER DANGER OXYGEN S18200 (7 X 10) S18201 (10 X 14) S18202 (14 X 20)	CONFINED SPACE DO NOT ENTER S18300 (7 X 10) S18301 (10 X 14) S18302 (14 X 20)	CANGER PINCH POINT WATCH YOUR HANDS S18400 (7 X 10) S18401 (10 X 14) S18402 (14 X 20)	CANGER PINCH POINTS S18450 (7 X 10) S18451 (10 X 14) S18452 (14 X 20)
CANGER DANGER PROPANE GAS S18500 (7 X 10) S18501 (10 X 14) S18502 (14 X 20)	CONTRACTOR OF CONTRACTOR CONTRACT	CANGER SAFETY GLASSES REQUIRED BEYOND THIS POINT S18800 (7 X 10) S18801 (10 X 14) S18802 (14 X 20)	CANGER SAFETY GLASSES REQUIRED IN THIS AREA S18850 (7 X 10) S18851 (10 X 14) S18852 (14 X 20)	CONTRACTOR OF CONTRACTOR CONTRACT
CLEAR STAY CLEAR S19100 (7 X 10) S19101 (10 X 14) S19102 (14 X 20)	Conveyors S19150 (7 X 10) S19152 (14 X 20)	C CANGER THIS EQUIPMENT STARTS AUTOMATICALLY S19250 (7 X 10) S19251 (10 X 14) S19252 (14 X 20)	C CANGER THIS MACHINE STARTS AUTOMATICALLY S19300 (7 X 10) S19301 (10 X 14) S19302 (14 X 20)	C CANGER UNAUTHORIZED PERSONNEL KEEP OUT S19400 (7 X 10) S19401 (10 X 14) S19402 (14 X 20)

Guardian Extreme Notice Signs


NOTICE NOTICE S20000 (7 X 10) S20001 (10 X 14) S20002 (14 X 20)	NOTICE ALL VISITORS MUST REGISTER AT OFFICE S20200 (7 X 10) S20201 (10 X 14) S20202 (14 X 20)	NOTICE AUTHORIZED PERSONNEL ONLY S20350 (7 X 10) S20351 (10 X 14) S20352 (14 X 20)	NOTICE CYLINDERS MUST BE CHAINED AT ALL TIMES S20500 (7 X 10) S20501 (10 X 14) S20502 (14 X 20)	NOTICE EMPLOYEES ONLY \$21000 (7 X 10) \$21001 (10 X 14) \$21002 (14 X 20)
NOTICE EMPTY CYLINDERS S21100 (7 X 10) S21101 (10 X 14) S21102 (14 X 20)	Image: Notice Image: Notice FIRE LANE KEEP CLEAR AT ALL TIMES Image: Notice S21300 (7 X 10) S21301 (10 X 14) S21302 (14 X 20) S21302 (14 X 20)	NOTICE FULL CYLINDERS S21500 (7 X 10) S21501 (10 X 14) S21502 (14 X 20)	NOTICE HEARING PROTECTION MUST BE WORN IN THIS AREA S21700 (7 X 10) S21701 (10 X 14) S21702 (14 X 20)	NOTICE KEEP THIS AREA CLEAR S21850 (7 X 10) S21851 (10 X 14) S21852 (14 X 20)
NOTICE KEEP THIS DOOR CLOSED S21900 (7 X 10) S21901 (10 X 14) S21902 (14 X 20)	NOTICE MATERIAL SAFETY DATA SHEETS AVAILABLE UPON REQUEST S22000 (7 X 10) S22001 (10 X 14) S22002 (14 X 20)	NOTICE NO ADMITTANCE S22050 (7 X 10) S22051 (10 X 14) S22052 (14 X 20)	NO ALCOHOL OR DRUGS PERMITTED ON COMPANY PREMISES S22150 (7 X 10) S22151 (10 X 14) S22152 (14 X 20)	○ NOTICE NO EXIT ○ • • • • • • • • • • • • • • • • • • •
NOTICE NO PARKING \$22350 (7 X 10) \$22351 (10 X 14) \$22352 (14 X 20)	NOTICE NO TRESPASSING S22550 (7 X 10) S22551 (10 X 14) S22552 (14 X 20)	SAFETY GLASSES REQUIRED BEYOND THIS POINT S23200 (7 X 10) S23201 (10 X 14) S23202 (14 X 20)	NOTICE THIS IS A SMOKE-FREE FACILITY S23450 (7 X 10) \$23451 (10 X 14) \$23452 (14 X 20)	NOTICE UNAUTHORIZED PERSONS KEEP OUT S23650 (7 X 10) S23651 (10 X 14) S23652 (14 X 20)
NOTICE WASH HANDS BEFORE RETURNING TO WORK S23700 (7 X 10) S23701 (10 X 14) S23702 (14 X 20)	• • • • • •		S21750 (7 X 10) S21751 (10 X 14) S21752 (14 X 20)	



Guardian Extreme Warning & Bilingual Signs

VARNING S25000 (7 X 10) S25001 (10 X 14) S25002 (14 X 20)	AUTHORIZED PERSONNEL ONLY S25050 (7 X 10) S25051 (10 X 14) S25052 (14 X 20)	WARNINGCYLINDERS MUST BE CHAINED AT ALL TIMESS25400 (7 X 10) S25401 (10 X 14) S25402 (14 X 20)	WARNING DO NOT OPERATE MACHINE WITHOUT GUARDS IN PLACE \$25700 (7 X 10) \$25701 (10 X 14) \$25702 (14 X 20)	VVARNING EAR PROTECTION REQUIRED IN THIS AREA S25800 (7 X 10) S25801 (10 X 14) S25802 (14 X 20)
WARNING EYE PROTECTION REQUIRED IN THIS AREA Image: Image	WARNING HAZARDOUS MATERIAL STORAGE AREA S26650 (7 X 10) S26651 (10 X 14) S26652 (14 X 20)	WARNING HIGH VOLTAGE S26750 (7 X 10) S26751 (10 X 14) S26752 (14 X 20)	WARNING KEEP OUT \$27100 (7 X 10) \$27101 (10 X 14) \$27102 (14 X 20)	WARNING PINCH POINTS \$27950 (7 X 10) \$27951 (10 X 14) \$27952 (14 X 20)
WARNING RESTRICTED AREA AUTHORIZED PERSONNEL ONLY S28300 (7 X 10) S28301 (10 X 14) S28302 (14 X 20)	WARNING THIS MACHINE STARTS AUTOMATICALLY KEEP HANDS AWAY S28550 (7 X 10) S28551 (10 X 14) S28552 (14 X 20)			
Bilingual Sign	S CAUTION EYE PROTECTION REQUIRED PRECAUCIÓN PROTECCIÓN PROTECCIÓN PROTECCIÓN PROTECCIÓN PROTECCIÓN PROTECCIÓN SG051LESLEN (14 X 10)	CAUTION HEARING PROTECTION REQUIRED PRECAUCIÓN AUDITIVA REQUERIDA S7501LESLEN (14 X 10)	CAUTION WATCH FOR LIFT TRUCKS PRECAUCIÓN CUIDADO CON LOS CAMIONES S9651LESLEN (14 X 10)	CONFINED SPACE ENTER BY PERMIT ONLY ESPACIO CERRADO ENTRADA SOLO CON PERMISO
	 DANGER DO NOT ENTER PELIGRO NO ENTRE • • • • • • • • • • • • • • • • S12401LESLEN (14 X 10) 	 DANGER NO SMOKING PELIGRO PROHIBIDO FUMAR Mare and a set of the s	 NOTICE NO TRESPASSING AVISO PROHIBIDO EL PASO MINICAL PASO S22551LESLEN (14 X 10) 	• NOTICE WASH YOUR HANDS BEFORE LEAVING THIS ROOM AVISO LÁVESE LAS MANOS ANTES DE SALIR DE ESTE CUARTO • • • • • • • • • • • • • • • • •

Guardian Safety Tags 3" x 5-3/4" (Bag of 6)



Guardian Safety Tags 3" x 5-3/4" (Bag of 6)

CAUTION UNSAFE DO NOT USE Stats (Yellow)	DO NOT OPERATE			
CONCEPTION OF THE STREEM OF TH	O DO NOT DOUCH Martine Martine Martine Martine Martine S4027			
	COANGER ELECTRICAL HAZARD Martine M	COANGER HIGH VOLTAGE MIGH VOLTAGE MIGH VOLTAGE MIGH MIGH MIGH MIGH MIGH MIGH MIGH MIGH	COANCERN LIVE WIRE WIRE Martine Martin	CANGER 220 VOLTS VOLTS
COANGER 440 VOLTS MINING MARGER MINING MARGER			O DO NOT CLOSE Motor Motor <td>CLOSE THIS VALVE</td>	CLOSE THIS VALVE
CANGER HANDS OFF Menter in Market Marter International Starst	DO NOT ENTER Metric and Construction S4001	CONFINED SPACE ENTRY IN PROGRESS	CONFINED SPACE WORKER IN CONFINED SPACE WORKER IN CONFINED SPACE	KEEP OUT

Guardian Safety Tags 3" x 5-3/4" (Bag of 6)

		$ \frown $			\frown
	ER) (DANGER)	(DANGER) (DANGER		ANGER) (DANGER)	(DANGER) (DANGER)
DEFECTIVE	MACHINERY BEING WORKED ON	the second secon		MEN ORKING	DO NOT DRINK
	HANDS OFF THIS EQUIPMENT	ORDER		ON CHINERY	THIS WATER
<u>Bastes.</u> 4	diater	4 Master. ++	¢ 250	hes	Anter
S4000	S404	41 S	4005	S4042	S4010
		O O O O O O O O O O O O O O O O O O O		O O O O O O O O O O O O O O O O O O O	(DANGER)
DO NOT		НОТ	tandanashtana L		OUT OF
FREEZE	PRESSURE		BEFO	RE WANTENANCE	SERVICE
Marter was	Anna Anna Anna Anna Anna Anna Anna Anna	4	4 (M		25 min
S4012	S40	35 S	4037	S4040	S4043
					1
OUT OF			TEN TEN	IPORARILY	
ORDER	FLAMMABLE			UT OF USE	
Marten o		0 Entry,	a distance d		
S4051	S404	48 S	4052	S4054	*
(Yellow)	(Oran	ige) (Ye	ellow)		
Lockout Is 3" x 1-1/2"	plation ID T	ags			
CP-3	4 E-1	G-20	P-2	S-9 🏴	V-7 🔁 W-1
		G-1 to G-20 Pneuma 00G1 to to P-20	tic P-1 Steam S S-20	-1 to Valve V V-20	-1 to Water W-1 to W-20
S4500CP1 to S4	500E1 to \$45	00G20 S4500P1	to S4500S1	to \$4500V	1 to S4500W1 to
S4500CP20 S4	1500E20	S4500P2	0 \$4500\$20	0 \$4500V	20 \$4500W20
Scaffolding	y Tags				
Superior pull strength,	durability, and		ALIMAN	DATE BY DATE BY	
reuseability eliminate expensive tag holders	the need for	ANGER	CAUTION		OK
	TH	IS SCAFFOLD	This scaffold does NOT NEET Federal/State OSHA specifications.		This scafficial fues been inschool to exam-
		KEEP OFF	All employees working from this scaffold must waar and use an approved		Federal Base (00%) Standard e and in sale Ter al continent.

9







Tags & Tag Stations

Identification tags are key components to any safety lockout program. Master Lock offers write-on tags in English, Spanish and French to accommodate employee needs.

Deluxe Tag Center

Deluxe Tag/Lockout Center Holds Multiple Groups of Tags

- Durable construction for years of use in corrosive environments
- Two tip-out drawers with dividers to create 2, 3, 4, 5 or 6 compartments
- 8 hanger clips along bottom hold safety padlocks or hasps
- Each compartment holds 25 tags. 150 tag capacity
- Compartments can be used for lockout devices too
- Each tip-out drawer measures 10" wide x 6-7/8" tall x 3-1/4" deep inside
- Upper tray for zip ties and small lockout devices
- Lockable. Use combination padlock to limit access to authorized employees
- Also suitable for ear plugs and eyewear

Compact Tag Stations

Durable Tag Station Holds 18 Tags

- Three hanger clips for safety padlocks or hasps
- Includes face labels in English, Spanish/English and French/English
- Patent pending

Master Lock Model #	Description	Dimensions (H x W x D)	
S1601	Tag Station (unfilled)		
S1601A	Tag Station with 12 English Tags	7-3/4" x 5-3/4" x 1-1/2	
S1601AX	Tag Station with 12 Spanish/English Tags		
S1601FRC	Tag Station with 12 French/English Tags		



S1800

Master Lock Model #	Description	Dimensions (H x W x D)
S1800	Tag Center (unfilled)	11" x 22" x 4-1/8"



"DO NOT OPERATE" Safety Tags

Laminated Tags Comply with OSHA Lockout/Tagout Standard

- Durable polyester laminate resists water, grease and extreme temperatures
- Heavy duty construction withstands over 50 lbs. of pullout force (meets OSHA requirement); prevents accidental removal
- Write-on name, department, expected completion
- 7/16" dia. brass grommet accepts all safety padlocks
- Single language and bilingual tag options
- Tags available in other languages; call for details



available separately)

Master Lock Model #	Description	Dimensions (H x W)
497A	English, 1 bag of 12 tags with ties	5-3/4" x 3-1/8"
497AX	Spanish/English 1 bag of 12 tags with ties	5-3/4" x 3-1/8"
497ABLC	French/English 1 bag of 12 tags with ties	5-3/4" x 3-1/8"



COMMITMENT TO THE ENVIRONMENT

Reduce, Reuse and Recycle.

Master Lock is proud to do all three.



REDUCE:

Our Safety Series[™] Zenex[™] thermoplastic padlock bodies are molded using a hot runner injection molding process that results in virtually no scrap material.

REUSE:

Precision engineering, durable materials, and simple recommended padlock maintenance makes all Master Lock Safety Series padlocks last and last.

RECYCLE:

Safety Series padlocks use a high percentage of recycled metal. Steel shackles are made of 100% recycled material. Brass keys and key cylinders are also made of 100% recycled material. Our Aluminum Safety Series padlocks are machined from 50% recycled material.

100% of the aluminum, brass, and steel material remaining after precision machining of Safety Series padlocks is recycled.

PROTECTING PEOPLE AND THE PLANET:

Our safety padlocks use FDA approved lubricants safe for use in food processing.

And by making virtually every part of the Safety Series padlock in our ISO 9001 North American facilities we offer the lowest carbon footprint of any padlock manufacturer.

Master Lock is committed to stewardship of the environment, to the people who make and use our safety products, and to the communities where they are made and used.



