
# Backpack HEPA Vacuum - for portable cleaning applications





## Backpack Vacuum

## - designed with comfort in mind

For its small size, the GD 10 is incredibly powerful and equipped with a variety of features for fast, effective cleaning in manufacturing facilities, the hospitality sector and transportation industry. The GD 10 meets requirements for the U.S. EPA's Lead Renovation, Repair and Painting Program when equipped with a carpet beater bar floor nozzle.

#### **Features and Benefits**

- Lightweight, ergonomic design to reduce fatigue (ergonomic study available)
- Low noise level for operator comfort and cleaning in noise-sensitive areas
- Upstream HEPA filter allows for safe collection of hazardous materials, trapping 99.99% of particles, down to and including 0.3 microns
- Standard equipped with sack-style main filter that will prolong the life
  of both the HEPA filter and motor
- Exhaust air is directed upward so that it does not interfere with the operator
- Awarded a Green Label/Seal of Approval by The Carpet and Rug Institute

Carpet beater bar tool comes in Turbo Nozzle (powered by air) and Power Nozzle (powered by electricity).

Nozzles sold separately.

### **Technical Specifications**

Description	Unit	GD 10
Collection Type	-	Dry
Type of Power	-	1-Phase
Voltage @ 60 Hz	V	120
Power @ 60 Hz, max.	HP (W)	2 (1500)
Waterlift, max.	in. (mm) H <sub>2</sub> O	96 (2438)
Airflow, max.	CFM (L/min)	99 (2803)
Current, max.	amps	10
Container Capacity	gallons (L)	2.6 (9.84)
Filter Efficiency, HEPA	-	99.99% @ 0.3 microns
Machine Inlet Diameter	in. (mm)	1.5 (38)
Cord Length	ft. (m)	50 (15.24)
Dimensions (W x H)	in. (mm)	(9.4 x 23) (238.76 x 584.20)
Weight	lbs. (kg)	10.8 (4.9)
Sound Pressure Level @ 3' 3"	dB(A)	62

Specifications and details are subject to change without prior notice.






Dust bag can be quickly sealed when changed to avoid dust escaping



Equipped with upstream HEPA filter



740 Hemlock Rd. · Morgantown, PA · 19543 Tel.: (800) 645-3475 · Fax: (888) 624-8141

questions@nilfisk.com

www.nilfiskindustrialvacuums.com

