

Revision Date 2/13/2015

Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Product code: Recommended Use:	odor _x ® Bad Odor Block Vanilla LG-F1019 Deodorizer
Supplier	ProRestore Products 1016 Greentree Road, Suite 115 Pittsburgh, PA 15220 Phone: (412) 264-8340
Emergency telephone number	INFOTRAC 1-800-535-5053 (North America) 1-352-323-3500 (International)

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

H227: Combustible liquid

H315: Causes skin irritation

H317: May cause an allergic skin reaction

Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4 Skin Corrosion/Irritation, Category 2 Sensitization, Skin, Category 1B Eye Damage/Eye Irritation, Category 2A Acute Toxicity Inhalation, Category 5 Aquatic Chronic Toxicity, Category 2

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Acute Dermal/Eye 12 : 15 : 9 : Acute Oral 2 : Sensitization/Allergic Response 31 : Target Organ Effects 26 : H319: Causes serious eye irritation
H333: May be harmful if inhaled
H411: Toxic to aquatic life with long lasting effects
Combustible Liquid
Causes moderate skin irritation.
May cause eye irritation.
Harmful if absorbed through the skin.
Harmful if swallowed
May cause allergic skin reaction.
Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen, blood, bile duct.

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:

None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements Labeling (REGULATION (EC) No 1272/2008)

2.2 Label elements

Hazard pictograms



Signal Word: Warning Hazard statements H227 Combustible liquid H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled H411 Toxic to aquatic life with long lasting effects Precautionary Statements Prevention:

Prevention: P235 Keep cool P264 Wash hands thoroughly after handling P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment **Response:** P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Liquid components embedded in wood fiber substrate.

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
104-21-2	203-185-8	5 - 10 %	H303; H315; H319	12, 15
p-Anisyl a	acetate			
121-32-4	204-464-7	5 - 10 %	H303; H320; H402	
Ethyl van	illin			
68647-72-3	232-433-8	2 - 5 %	H226; H304; H315; H317; H400; H410	12, 3, 31
Citrus au	rantium var. dulo	xis .		
91-64-5	202-086-7	2 - 5 %	H302; H317; H402	12, 15, 2, 26, 31, 9
Coumarin	1			
104-61-0	203-219-1	2 - 5 %	H316	12, 15
gamma-N	lonalactone			
121-33-5	204-465-2	1 - 2 %	H303; H319	31
Vanillin				
See Section 1	6 for full text of	GHS classificat	tion codes	

Total Hydrocarbon Content (% w/w) = 4.65

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
 Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
 Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
 Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values **Engineering Controls:** Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure **Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. **Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

Physical state	Odor and appearance	
Liquid impregnated fiber block	Brown colored fiber block, odor: Vanilla	
Solubility in water	Vapor pressure (mm Hg)	Vapor density (Air=1)
insoluble	0.0799	not available
Evaporation	Flash point	VOC: 3%
(butyl acetate = 1) not available	165 F (73.89 C)	
Flammability limits in air, lower, % by volume	Auto-ignition temperature 399.2 - 500 °F	
40 g/m3 for wood dust	(204.4 - 260 °C) for wood	

10. Stability and Reactivity

10.1 Reactivity None

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known

10.4 Conditions to avoid None known

- 10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis
- 10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula" **Acute toxicity - Oral - (Rat) mg/kg** (LD50: 5,128.21) Not classified - the classification criteria are not met

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 5,181.35) Not classified - the classification criteria are not met Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 23.20) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity Not classified - the classification criteria are not met

Reproductive toxicity Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Not classified - the classification criteria are not met Chronic aquatic toxicity Toxic to aquatic life with long lasting effects Toxicity Data on soil no data available Toxicity on other organisms no data available 12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Considerations

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information		
DOT	Not regulated	
IMDG	Not regulated	
IATA	Not regulated	
15. Regulatory Information	ion	
U.S. Federal Regulation		
40 CFR(EPCRA, SARA, U.S. State Regulations: California Proposition (Canadian Regulations:	CERCLA and CAA) This proc	
40 CFR (EPCRA, SARA, U.S. State Regulations: California Proposition (Canadian Regulations:	CERCLA and CAA) This proceed to the second s	duct contains NO components of concern.
40 CFR(EPCRA, SARA, U.S. State Regulations: California Proposition (Canadian Regulations: DSL / NDSL 100.00% of	CERCLA and CAA) This prod 55 Warning No Warning requir the components are listed or e rred to under section 3	duct contains NO components of concern.
40 CFR(EPCRA, SARA, U.S. State Regulations: California Proposition (Canadian Regulations: DSL / NDSL 100.00% of 16. Other Information GHS H-Statements refe	CERCLA and CAA) This prod 55 Warning No Warning requir the components are listed or e rred to under section 3	duct contains NO components of concern.
40 CFR (EPCRA, SARA, U.S. State Regulations: California Proposition (Canadian Regulations: DSL / NDSL 100.00% of 16. Other Information GHS H-Statements refe Total Fractional Values	CERCLA and CAA) This prod 55 Warning No Warning requir the components are listed or e rred to under section 3	duct contains NO components of concern.
40 CFR (EPCRA, SARA, U.S. State Regulations: California Proposition (Canadian Regulations: DSL / NDSL 100.00% of 16. Other Information GHS H-Statements refe Total Fractional Values	CERCLA and CAA) This prod 55 Warning No Warning requir the components are listed or e rred to under section 3	duct contains NO components of concern.

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Material Safety Data Sheet