

Revision Date 2/13/2015

# Safety Data Sheet

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name: Product code: Recommended Use:	odor <sub>x</sub> ® Bad Odor Block Cherry LG-F1007 Deodorizer
Supplier	ProRestore Products 1016 Greentree Road, Suite 115 Pittsburgh, PA 15220 Phone: (412) 264-8340
Emergency telephone number	INFOTRAC 1-800-535-5053 (North America) 1-352-323-3500 (International)

#### 2. Hazards Identification

## 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

H313: May be harmful in contact with skin

H412: Harmful to aquatic life with long lasting effects

H226: Flammable liquid and vapor

H303: May be harmful if swallowed

H319: Causes serious eye irritation

H316: Causes mild skin irritation H317: May cause an allergic skin reaction

H332: Harmful if inhaled

H401: Toxic to aquatic life

## Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 3 Acute Toxicity Oral, Category 5 Acute Toxicity Dermal, Category 5 Skin Corrosion/Irritation, Category 3 Sensitization, Skin, Category 1 Acute Toxicity Inhalation, Category 2 Aquatic Acute Toxicity, Category 2 Aquatic Chronic Toxicity, Category 3

## Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Acute Dermal/Eye	Class II Flammable Liquid 10 : May be harmful if absorbed through the skin. 12 : Causes moderate skin irritation. 16 : Causes eye irritation.
Acute Inhalation	<ul> <li>21 : Harmful if inhaled.</li> <li>24 : Causes respiratory tract irritation.</li> <li>25 : Inhalation at high levels may cause: difficulty in breathing, drowsiness, tremors, labored breathing, hypothermia, lethargy, ataxia.</li> </ul>
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs
Genotoxicity	36 : Suspected of causing genetic defects
Reproductive/Developmental	39 : Causes reproductive/developmental toxicity in animals.
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, thymus gland, stomach, testes, brain, tongue, mucous membranes, musculo-skeletal system.
	27 : Prolonged or repeated inhalation may cause damage to: liver, spleen, blood, heart, lungs,
	hematopoietic system, nervous system.
	28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver, brain
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []
2.2 Label elements	

Labeling (REGULATION (EC) No 1272/2008) Hazard pictograms



Signal Word: Warning

Hazard statemen	ts					
H226	Flammable liquid and vapor					
H303	May be harmful if swallowed					
H313	ay be harmful in contact with skin					
H316	Causes mild skin irritation					
H317	May cause an allergic skin reaction					
H319	Causes serious eye irritation					
H332	Harmful if inhaled					
H401	Toxic to aquatic life					
H412	Harmful to aquatic life with long lasting effects					
Precautionary St	atements					
Prevention:						
P233	Keep container tightly closed					
P235	Keep cool					
P240	Ground/bond container and receiving equipment					
P241	Use explosion-proof electrical/ventilating/light//equipment					
P242	Use only non-sparking tools					
P243	Take precautionary measures against static discharge					
P264	Wash hands thoroughly after handling					
P271	Use only outdoors or in a well-ventilated area					
P272	Contaminated work clothing should not be allowed out of the workplace					
P273	Avoid release to the environment					
Response:						
P302 + P352	IF ON SKIN: Wash with soap and water					
P303 + P361 + P3						
P304 + P312 + P3						
	rest in a position comfortable for breathing					
P305 + P351 + P3						
	continue rinsing					
P312	Call a POISON CENTER or doctor/physician if you feel unwell					
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention					
P337 + P313	If eye irritation persists: Get medical advice/attention					
P352 Wash with soap and water						
P363	Wash contaminated clothing before reuse					
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on					
	huming material					

## 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Liquid components	embedded in v	wood fiber	substrate.
	-		

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
100-52-7 Benzalde		10 - 20 %	H227; H302; H316; H319; H332; H335; H401	10, 11, 15, 23, 25, 26, 3, 31, 36, 39
8050-15-5	232-476-2	10 - 20 %	H402; H412	31
Methyl es	ster of rosin (par	tially hydrogenat	ted)	
93-04-9	202-213-6	2 - 5 %	H302; H401	3
2-Methox	ynaphthalene (l	oeta-Naphthyl m	ethyl ether, Nerolin, Yara Yara)	
628-63-7	211-047-3	2 - 5 %	H226	
Amyl Ace	tate			
140-11-4	205-399-7	2 - 5 %	H227; H303; H316; H401	15, 25, 26, 31, 39
Benzyl ad	cetate			
121-33-5	204-465-2	2 - 5 %	H303; H319	31
Vanillin				
98-55-5	202-680-6	1 - 2 %	H227; H303; H315; H319; H401	11, 15, 23
alpha-Ter	pineol			
8008-57-9	232-433-8	1 - 2 %	H226; H304; H315; H400; H410	12, 3, 31
Citrus au	rantium dulcis ((	Drange) oil		
101-84-8	202-981-2	1 - 2 %	H303; H320; H401; H411	12, 15, 21, 27, 28
Diphenyl	Ether			
141-78-6	205-500-4	1 - 2 %	H225; H319; H336	16, 24, 25, 27
Ethyl ace	tate			
106-30-9	203-382-9	1 - 2 %	H226; H316	12
Ethyl hep	tanoate			
104-55-2	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401	10, 12, 16, 26, 31, 36
Cinnama	1			
See Section 1	16 for full text of	GHS classificati	on codes	

burning material

### 4. First Aid Measures 4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
 Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
 Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
 Ingestion: Rinse mouth with water and obtain medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available Risks: Refer to Section 2.2 "Hazard Statements"

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

### 5. Fire-Fighting measures

#### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material

## 5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

## 5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### **6.2 Environmental precautions**

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations. 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

Exposure Limits:

Component 628-63-7 Amyl Acetate 140-11-4 Benzyl acetate	ACGIH (TWA ppm) 50 10	ACGIH 100	(STEL ppm)	OSHA 100	(TWA ppm)	OSHA (STEL ppm)
101-84-8 Diphenyl Ether 141-78-6 Ethyl acetate	400			1 400		

Engineering Controls: Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure **Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. **Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

Physical state	Odor and appearance

Liquid impregnated fiber block	Brown colored fiber block, odor: cherry	
Solubility in water	Vapor pressure (mm Hg)	Vapor density (Air=1)
insoluble	2.2979	not available
Evaporation	Flash point	% VOC 16%
(butyl acetate = 1) not available	134 F (56.67 C)	
Flammability limits in air, lower, % by volume	Auto-ignition temperature 399.2 - 500 °F	
40 g/m3 for wood dust	(204.4 - 260 °C) for wood	

## 10. Stability and Reactivity

- 10.1 Reactivity None
- 10.2 Chemical stability Stable
- 10.3 Possibility of hazardous reactions None known
- 10.4 Conditions to avoid None known
- 10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis
- 10.6 Hazardous decomposition products None known

#### **11. Toxicological Information**

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula" Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,496.50) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,682.43) May be harmful in contact with skin Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 17.12) Harmful if inhaled Skin corrosion / irritation Causes mild skin irritation Serious eye damage / irritation Causes serious eye irritation Respiratory sensitization Not classified - the classification criteria are not met Skin sensitization May cause an allergic skin reaction Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Specific target organ toxicity - the classification criteria are not met Specific target organ toxicity - the classification criteria are not met Specific target organ toxicity - the classification criteria are not met Specific target organ toxicity - the classification criteria are not met Specific target organ toxicity - the classification criteria are not met Specific target organ toxicity - the classification criteria are not met Specific target organ toxicity - the classification criteria are not met

#### 12. Ecological Information

## 12.1 Toxicity

Acute aquatic toxicity Toxic to aquatic life Chronic aquatic toxicity Harmful to aquatic life with long lasting effects Toxicity Data on soil no data available Toxicity on other organisms no data available 12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available

**12.3 Bioaccumulative potential** no data **12.4 Mobility in soil** no data available

12.5 Other adverse effects no data available

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

DOT Proper shipping name	Limited quantity
IMDG Proper shipping name	3175 - Solids containing flammable liquid, n.o.s (EXTRACTS, AROMATIC, LIQUID)
Hazard class UN Number	4.1 UN3175

F-A. S-I

## 15. Regulatory Information

**Packing Group** 

EmS No.

## U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

## 40 CFR (EPCRA, SARA, CERCLA and CAA) This product contains the following components:

628-63-7 211-047-3 2 - 5 % Amyl Acetate 141-78-6 205-500-4 1 - 2 % Ethyl acetate

## **U.S. State Regulations:**

California Proposition 65 Warning This product contains the following components:

94-59-7 202-345-4 <= 4 ppm Safrole (NFS) 93-15-2 202-223-0 <= 2 ppm Methyl Eugenol (NFS)

## **Canadian Regulations:**

DSL / NDSL 100.00% of the components are listed or exempt.

## 16. Other Information

## **GHS H-Statements referred to under section 3**

**Total Fractional Values** (TFV) Risk (TFV) Risk (3.13) Skin Corrosion/Irritation, Category 3 (2.96) Eye Damage/Eye Irritation, Category 2A (9.74) Aquatic Chronic Toxicity, Category 3

(5.00) Sensitization, Skin, Category 1A (2.24) Aquatic Acute Toxicity, Category 2

## Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Material Safety Data Sheet**